

Tracking Assistance for the Legal Office Network
TALON Version 7.2.0

System Design Document
Version 5.0 - 31 August 2004



Executive Office of United States Attorneys
Office of the Chief Information Officer
Case Management Staff

Change History

Description	Version	Date	Author
Initial Draft by Keane.	1.0	1-8-03	Keane
Preparation of Final Draft.	2.0	1-31-03	J. Welsh
Updated for 7.1.0.0	3.0	12-31-03	Keane
Updated for 7.1.1.0	4.0	05-10-04	Keane
Updated for 7.2.0	5.0	08-31-04	Keane

Table of Contents

Change History	2
Table of Contents	3
List of Tables	5
1 Introduction	6
1.1 Purpose and Scope	6
1.2 Project Executive Summary	6
1.2.1 System Overview	6
1.2.2 Design Constraints	6
1.2.3 Future Contingencies	7
1.3 Points of Contact	7
1.4 References	7
2 System Design	9
2.1 System Hardware	9
2.2 System Software	9
2.3 Internal Communications	31
3 File and Database Design	32
3.1 Database Management System Files	32
3.2 Non-Database Management System Files	38
4 Human-Machine Interface	39
4.1 Inputs	39
4.2 Outputs	39
4.2.1 Reports	39
4.2.2 Document Generation	47
5 External Interfaces	51
5.1 WordPerfect	51
5.2 Financial Calculator	51
6 System Integrity Controls	52
6.1 User Access	52
7 Appendix A: Entity Relationship Duagram	53

8	Appendix B: Data Dictionary	54
8.1	Data Tables	54
8.2	List of Values Tables	91
9	Appendix C: Table Creation/Alter Scripts	119

List of Tables

Table 2.1 — TALON Forms	8
Table 2.2 — TALON Modules	16
Table 3.1 — TALON Tables	32
Table 4.1 — TALON Reports	39
Table 4.2 — TALON Documents	42
Table 6.1 — User Roles	52

1 Introduction

1.1 Purpose and Scope

This document will describe the functional improvements, architecture modifications and system impact of version 7.2.0 of the TALON application.

1.2 Project Executive Summary

1.2.1 System Overview

The Department of Justice (DOJ) is responsible for the collection of debts owed to the Federal Government. These debts may originate from a civil proceeding, result from a default on a federally-held loan, or in connection with a criminal case. The DoJ conducts litigation and collects on debts both in conjunction with its own efforts and for other government agencies who refer their debts to the DoJ if they have been unable to collect it themselves.

The TALON system serves as the debt tracking and collection system for the Financial Litigation Units of the US Attorneys offices. High-level system functions include, generation of litigation documents and debtor correspondence, financial calculations to track the payments on a debt as well as maintain a current balance, generation of billing statements for debtors, identification of debtors to be enrolled in the Treasury Offset Program, Automatic Payment Posting for TOP offset, Voluntary TOP, Direct Deposit, BOP and Clerk of Court payment files, and generation of national reports for inclusion in statistical findings for Congress.

TALON runs on the JCON II network using Windows NT servers and an Oracle database management system. TALON was built on a two-tier client-server architecture. Users run the application on the client and access the database over the USAO WAN.architecture according to Department-wide standards. The application was developed using Oracle's Forms Developer 2000, SQL and PL/SQL. TALON utilizes both JCON and JCN approved local and wide area networks using IP standards to connect the client to the database server. The database is running Oracle 8i and is centrally located at the Network Operation Center (NOC) at the National Advocacy Center (NAC), Columbia, SC.

1.2.2 Design Constraints

TALON version 7.2.0 is a maintenance release of an existing system, and therefore was restrained by both the time and resources allocated in the maintenance phase. This restricted the scope of any changes to the major areas of functional improvement as opposed to examining optimal technologies or other configurations.

Also, the clients used by the TALON application are shared by other similar client-server applications, which effectively limits the version of the tools used by TALON to the latest common version used by those other applications.

1.2.3 Future Contingencies

The single largest potential contingency concerning TALON is the platform on which it is deployed. Forms 4.5 is not supported against Oracle 8i. In the future, TALON will be modified to utilize a web-based platform and a XML-enabled database.

1.3 Points of Contact

The key contacts for this system are:

Joe Welsh
System Development Manager (EOUSA/CMS)
joe.welsh@usdoj.gov
202-616-0894

Parmod Monga
Technical Manager (Keane)
parmod.monga@usdoj.gov
202-514-1886

1.4 References

- 1.4.1 TALON Version 7.0.0.1
- 1.4.2 TALON Version 7.0.0.0
- 1.4.3 TALON Version 7.0.0.0 User Manual
- 1.4.4 TALON Version 6.0.0.0
- 1.4.5 TALON Version 7.1.0.0

2.1 System Hardware

TALON version 7.2.0 utilizes the following hardware components:

- ▶ **Client Workstations:** Compaq (minimum specifications: P-II 400 MHz processor, 128K Ram, 18 GB hard drive)
- ▶ **File Servers:** Compaq model# (specifications:)
- ▶ **Database Server:** Compaq ML150

The workstations operate using Windows 2000 and servers operate using Windows NT 4.0 and the latest service pack.

2.2 System Software

TALON was developed in Oracle Forms 4.5 utilizing SQL and PL/SQL. In addition, TALON accesses WordPerfect version 9 to perform data merges with document templates. *Tables 2.1* and *2.2* list and describe the forms and modules which constitute TALON version 7.2.0.

Table 2.1 — TALON Forms

Form	Description	Table(s) Accessed
BATCHGN	Generate Forms (This form can be used to generate multiple forms.)	None
CA_FIND	Calendar Search	None
CA_FIND1	Calendar Search	TA_CALENDAR
CA_INTRO	CA_INTRO	None
CA_QRY2	Report Parameters (Schedule Date)	None
CA_QRY3	Report Parameters (Calendar for Judge)	None
CA_QRY4	Report Parameters (Employee Calendar with calendar type and schedule dates)	None
CA_QRY5	Report Parameters (Branch calendar and Calendar Type)	None

Form	Description	Table(s) Accessed
CA_RPT	Report Parameters (Provides a range of schedule dates)	None
CA_RPT2	Report Parameters (Provides a range of schedule dates and calendar type)	None
CA_SCR1	Add a Calendar Item to a Civil Case	TA_CALENDAR
CA_SCR11	Purge Old Calendar Items	DUMMY
CA_SCR2	Update Calendar Items	TA_CALENDAR
CA_SCR3	Delete a Calendar Item	TA_CALENDAR
CA_TYPE	CA_TYPE (Provides judge and calendar type)	None
CASEFND	USAO Number Search	TA_DEBT_DEBTOR_LIAB_VW
CASEFND1	USAO Number Search	TA_DEBT_DEBTOR_LIAB_VW
CASEFND7	USAO Number Search	TA_PRE_JUDGMENT_CASES_VW
CMUTABS	LIST OF COMMON CODE TABLES (Allows to update a code table)	None
CV_RPTCC	ACE Report Options	None
CZ_APCHECKOF F	Check-Off Items Form.	TA_CHECKOFF
CZ_APCHKPAR	Check-Off Items Report Parameter Form.	
CZ_APPAYLOAD	Load Payments Form	TA_LOAD
CZ_APPAYREC	Reconcile Deposit Tickets Form	TA_RECONCILE
CZ_APPMNTPAR	Payments Posted Parameter Form	None
CZ_APRECPAR	Reconcile Deposit Tickets Parameter Form	None
CZ_APREPORTS	Automatic Payments Reports Parameter Form	None

Form	Description	Table(s) Accessed
CZ_DETAL	Parameter form for C & D reports. Allows to Enter Begin and End Dates or only the End Date depending upon the requirement of the report being run.	None
CZ_DREVV	Debt Review	TA_DEBT_DEBTOR_LIAB_VW, TA_FINANCE,
CZ_DSTAT	REPORT PARAMETERS. Allows to enter Range of Anticipated Release Dates	None
CZ_FIND2	Collection Decline Search	TA_DECLINATION
CZ_FIND4	Collection Search for Additional Contact	TA_ADDITIONAL_CONTACT
CZ_FIND5	Select a Financial Record for Inactivation	TA_FINANCE
CZ_PRIORITY_CODE	Priority Code Reports Menu	None
CZ_PROJ2	PARAMETER ENTRY FOR PART 2 OF THE PROJECTION REPORT	None
CZ_QC	PARAMETER ENTRY FOR REPORT GENERATION for Quality Control Reports	None
CZ_RPTA1	WORKLOAD REPORTS SUB-MENU	None
CZ_RPTA2	REPORT PARAMETERS. Provides parameter values for Technician for Civil Work Load Report	TA_TECHNICIAN
CZ_RPTA3	REPORT PARAMETERS. Provides parameter values for Technician for Criminal Work Load Report.	TA_TECHNICIAN
CZ_RPTA4	PARAMETER ENTRY FOR WORKLOAD - SPECIFY SORT ORDER	None

Form	Description	Table(s) Accessed
CZ_RPTA41	REPORT PARAMETERS. Provides parameter values for Technician and debt type (Civil, Criminal or All)	TA_TECHNICIAN
CZ_RPTA42	REPORT PARAMETERS. Provides parameter values for AUSA and debt type (Civil, Criminal or All)	TA_AUSA
CZ_RPTA43	REPORT PARAMETERS. Provides parameter values for BRANCH and debt type (Civil, Criminal or All)	TA_BRANCH
CZ_RPTA44	REPORT PARAMETERS. Provides parameter values for COLLECT_TYPE and debt type (Civil, Criminal or All)	TA_COLLECT_TYPE
CZ_RPTA45	REPORT PARAMETERS. Provides parameter values for Debtor Name and debt type (Civil, Criminal or All)	TA_DEBT_DEBTOR_LIAB_VW
CZ_RPTA46	REPORT PARAMETERS. Provides parameter values for USAO Number and debt type (Civil, Criminal or All)	TA_DEBT
CZ_RPTA47	REPORT PARAMETERS. Provides parameter values for Case Type and debt type (Civil, Criminal or All)	TA_CASE_TYPE
CZ_RPTA48	REPORT PARAMETERS. Provides parameter values for Case Type and debt type (Civil, Criminal or All)	TA_CASE_TYPE
CZ_RPTAA	Range of Declination Dates. User provides a range of Declination Dates	None
CZ_RPTB	CASE HISTORY MENU SCREEN	None
CZ_RPTBB	CASE HISTORY MENU SCREEN	None
CZ_RPTC	MISCELLANEOUS REPORTS SUB-MENU	None
CZ_RPTCC	INDEX CARDS. Allows user to enter a range of Initiate Date.	None

Form	Description	Table(s) Accessed
CZ_RPTD	PARAMETER ENTRY FOR REPORTS GENERATION (Listing of Workload Reports)	None
CZ_RPTDD	BANK DEPOSIT TICKET MENU	None
CZ_RPTE	PARAMETER ENTRY FOR REPORT GENERATION (Listing of Agency Reports)	None
CZ_RPTE1	REPORT PARAMETER. User can select Agency Name.	TA_AGENCY
CZ_RPTE2	REPORT PARAMETER. User can select a range of Agency Names.	TA_AGENCY
CZ_RPTF	CZ_RPTF. User can enter a range of initiate dates.	None
CZ_RPTFF	PARAMETER ENTRY FOR REPORT GENERATION. User can select the type of statistical report.	None
CZ_RPTG	REPORT PARAMETERS. User can enter a Range of Current Total Debt Balance.	None
CZ_RPTH	REPORT PARAMETERS. User can enter a Range of Disposition Dates	None
CZ_RPTI	PARAMETER ENTRY FOR REPORT GENERATION. User can select a report for a specific Cause of Action.	None
CZ_RPTI1	PARAMETER ENTRY FOR REPORT GENERATION. User can select a single Cause of Action to run the report.	TA_CAUSE_OF_ACTION
CZ_RPTI2	PARAMETER ENTRY FOR REPORT GENERATION. User can select a range of Cause of Action to run the report.	TA_CAUSE_OF_ACTION

Form	Description	Table(s) Accessed
CZ_RPTJ	PARAMETER ENTRY FOR REPORT GENERATION. User can select a report for Program Categories.	None
CZ_RPTJ1	Report Parameter. User can select a single program category to run the report.	TA_PROG_CAT_CV, TA_PROG_CAT_CR
CZ_RPTJ2	Report Parameter. User can select a Range of Program Categories to run the report.	TA_PROG_CAT_CV, TA_PROG_CAT_CR
CZ_RPTJ3	Program Category Options. User can enter a code to run the report for Civil or Criminal Program Category.	None
CZ_RPTK	Report Parameter. User can select a Range of Judgment Dates.	None
CZ_RPTK1	JUDGMENT REPORT OPTIONS. User can enter a code to run different types of judgment reports.	None
CZ_RPTK2	Report Parameter. User can enter a Range of Judgment Dates.	None
CZ_RPTK3	Report Parameter. User can enter a Range of Judgment Dates.	None
CZ_RPTM	Report Parameter entry for Overdue Payment Criteria. User can enter the Scheduled Payment Date is Before.	None
CZ_RPTN	PARAMETER ENTRY FOR REPORT GENERATION. User can enter code to run Debtor Index report for open cases only or all cases.	None
CZ_RPTT	Report Parameter for selecting Aging Report Criteria. User can enter date for Last Event is Before and Last Payment is Before.	None

Form	Description	Table(s) Accessed
CZ_RPTT_PRTY	Report Parameter for selecting Aging Report Criteria. User can select a Priority Code or select ALL to run the report for all the Priority Codes. User can enter date for Last Event is Before and Last Payment is Before.	None
CZ_RPTT_TECH	Report Parameter for selecting Aging Report Criteria. User can select a Technician or select ALL to run the report for all the Technician. User can enter date for Last Event is Before and Last Payment is Before.	None
CZ_RPTU	PARAMETER ENTRY FOR REPORT GENERATION. User can enter a code to run three different types of Payment Reports.	None
CZ_RPTU1	PARAMETER ENTRY FOR REPORT GENERATION. User can select a code to run Payment Report for a specific Collect Type.	TA_COLLECT_TYPE
CZ_RPTV	Finance Transactions Report Options. User can enter a code to run four different reports.	None
CZ_RPTV1	Finance Transactions Report Options. User can enter a code to run report for All Finance Transactions or for a single Finance Code.	None
CZ_RPTV2	Finance Transactions Report Options. User can enter a Finance Code to run the report for a single Finance Code.	TA_FINANCE_CODE
CZ_RPTW	User can enter Beginning and Ending Compounding date for Compounding Date Criteria report.	None
CZ_RPTY	RANGE OF POSTING DATES. User can enter beginning and ending posting dates for Received By USAO payment report.	None

Form	Description	Table(s) Accessed
CZ_RPTZ	Report Parameters. User can Enter Beginning and Ending Access Dates.	None
CZ_SCR1	Open a New Collection Case	TA_DEBT, TA_DEBTOR, TA_EVENT, TA LIABILITY, TA_ADDITIONAL_CONTACT
CZ_SCR12	Add Update / Delete Event to a Collection Case	TA_EVENT
CZ_SCR13	Add a Calendar Item to a Collection Case	TA_CALENDAR
CZ_SCR15	Update/delete Calendar Items in a Collection Case	TA_CALENDAR
CZ_SCR17	Add Additional Contact to a Collection Case	TA_ADDITIONAL_CONTACT
CZ_SCR18	Close a Collection Record	TA LIABILITY, TA_EVENT
CZ_SCR19	Update Debtor Information	TA_DEBTOR
CZ_SCR1A	Update/Delete Optional Info to a Collection Case	TA_ADDITIONAL_CONTACT
CZ_SCR1B	Update Collection Immediately Declination	TA_DECLINATION
CZ_SCR1C	Re-open a Closed a Collection Record	TA LIABILITY
CZ_SCR1E	Reset Bank Deposit Ticket Number	DUMMY
CZ_SCR1F	Reset Credit Card Deposit Ticket Number	DUMMY
CZ_SCR1G	Inactivate a Financial Transaction	TA_FINANCE, TA_DEBT
CZ_SCR2	Collection Case Immediately Declination	TA_DECLINATION
CZ_SCR20	DIRECT DEPOSIT	TA LIABILITY, TA_EVENT

Form	Description	Table(s) Accessed
CZ_SCR31	Finance Transactions	TA_DEBT, TA_DEBTOR, TA_EVENT, TA LIABILITY, TA_ADDITIONAL_CONTACT, TA_FINANCE
CZ_SCR32	Priority/Suspense Review	TA_DEBT, TA LIABILITY
CZ_TKL	Report Parameter. User can enter Range of Tickle Dates and Technician.	TA_TECHNICIAN
CZ_TOP	Allows the user to make a selection from the TOP Report Selection menu. It also Allows the user to Enter Begin and End Dates. It also allows the user to enter Begin and End Dates and new even date for Post 170 Processing.	None
CZ_USAO	Set Next Collection USAO Number	TA_NEXT_NUMBER
CZRPTBB1	CASE HISTORIES--RANGE OF ACCESS DATES SCREEN	None
CZUTABS	Provides a listing of COLLECTION CODE TABLES. User can enter a code to update hat table.	None
DOCCOL	Documents Columns	PCUSACTS_COLS
DOCDEL	Delete Document Selection Statement	TA_DOCUMENT
DOCJOIN	Document Join Clauses	JOINS
DOCLOOK	Doclook	TA_DOCUMENT
DOCLOOK1	Where Clause Selection. User can select and add a Where Clause. This form is for Document Generation.	None
DOCMB	Document Generation by Batch	TA_DOCUMENT, TA_DOCGEN_PARM
DOCME	Document Generation From Event Records	TA_EVENT

Form	Description	Table(s) Accessed
DOCNEW	Create New Document's SQL Statement	TA_DOCUMENT, TA_DOCGEN_COLS, TA_DOCGEN_WHERE, TA_DOCGEN_WHERE_TABS
DOCPRT	Print Document Selection Statement	TA_DOCUMENT
DOCTABLE	Update Document Generation Tables List.	USER_CATALOG
DOCUPD	Update Document Selection Statement	TA_DOCUMENT
DOREPORT	This is the main Report Generation form which is called to run the Oracle Designer reports.	None
MOD_CODE	Code Table Modification	MOD_CODE
NEW_C	Add Another Calendar Item. Allows the user to Add another Calendar Item to this Case ?	None
NEW_D	Add Another Defendant. Allows the user to Add another defendant to this case.	None
NEW_DEBT	Add Another Debtor. Allows the user to Add another debt to this case.	None
NEW_E	Add Another Event. Allows the user to Add another EVENT to this case.	None
NEW_OPT	Add More Additional Contact Information.	None
OPTION1	THE EXIT OR CONTINUE OPTION FORM	None
OPTIONS	Save Change Options.	None
TA_ADHOC_MENU	TALON Adhoc Reports Menu	None
TA_ADMIN	TALON User Administration.	TA_AUSA

Form	Description	Table(s) Accessed
TA_PASS	TALON User Password Administration.	None
TALONCOL	Collection Main Menu	None
TALONFRM		
TALONSEC	Security Alert. This form appears before the main TALON application.	None
USA5MON1	Reporting Month Ranges. User can enter beginning and ending month.	None

Table 2.2 — TALON Modules

Module	Description	Table(s) Accessed
TALON_PKG	Package	
SHOW_DEBT_NAME	Function associated with talon_pkg Package	TA LIABILITY
SHOW_COURT_NUMBER	Function associated with talon_pkg Package	TA LIABILITY
SHOW_DEBT_BALANCE	Function associated with talon_pkg Package	TA DEBT
SHOW_DEBTOR_BALANCE	Function associated with talon_pkg Package	TA LIABILITY
ITEMIZED_BALANCE	Procedure associated with talon_pkg Package	TA REPORT BALANCE
ITEMIZED_BALANCE_CV	Procedure associated with talon_pkg Package	TA REPORT BALANCE
ITEMIZED_BALANCE_CR	Procedure associated with talon_pkg Package	TA REPORT BALANCE
ITEMIZED_BALANCE_CV_INT ERNAL	Procedure associated with talon_pkg Package	TA DEBT, TA LIABILITY, TA FINANCE
ITEMIZED_BALANCE_CR_INT ERNAL	Procedure associated with talon_pkg Package	TA DEBT, TA LIABILITY
RESOLVE_NEGATIVE_BALAN CE	Procedure associated with talon_pkg Package	TA DEBT, TA FINANCE, TA LIABILITY
RESOLVE_OVERPAYMENT	Procedure associated with talon_pkg Package	TA FINANCE, TA LIABILITY
SHOW_PAYMENT_INTERNAL	Procedure associated with talon_pkg Package	TA FINANCE
SHOW_OOS_PAYMENT_INTE RNAL	Procedure associated with talon_pkg Package	TA FINANCE, TA LIABILITY
CALCULATE_OOS_INTEREST	Procedure associated with talon_pkg Package	None

Module	Description	Table(s) Accessed
CHECK_OUT_OF_DATE_PAYMENT	Function associated with talon_pkg Package	TA_FINANCE
POST_PAYMENT	Procedure associated with talon_pkg Package	TA_FINANCE, TA_DEBT, TA LIABILITY
SHOW_OOS_PAYMENT	Procedure associated with talon_pkg Package	TA_FINANCE, TA LIABILITY
POST_OOD_PAYMENT	Procedure associated with talon_pkg Package	TA_FINANCE, TA LIABILITY, TA DEBT
SHOW_PAYMENT	Procedure associated with talon_pkg Package	TA_FINANCE
INACTIVATE_PAYMENT	Procedure associated with talon_pkg Package	TA_FINANCE, TA DEBT, TA LIABILITY
CHECK_DEBTOR_ADJUSTMENT	Function associated with talon_pkg Package	TA DEBT, TA LIABILITY
POST_DEBT_ADJUSTMENT	Procedure associated with talon_pkg Package	TA LIABILITY, TA FINANCE, TA DEBT
POST_DEBTOR_ADJUSTMENT	Procedure associated with talon_pkg Package	TA DEBT, TA FINANCE
SHOW_PJ_INTEREST	Function associated with talon_pkg Package	TA DEBT, TA FINANCE
POST_PJ_INTEREST	Procedure associated with talon_pkg Package	TA DEBT, TA FINANCE
CONVERT_PREJUDGMENT	Procedure associated with talon_pkg Package	TA FINANCE, TA DEBT
UPDATE_PAYMENT_PLAN	Procedure associated with talon_pkg Package	TA SYSTEM PARAMS, TA LIABILITY, TA EVENT

Module	Description	Table(s) Accessed
LOG_DEBTOR_HISTORY	Procedure associated with talon_pkg Package	TA_FINANCE, TA_DEBTOR_HISTORY, TA_DEBT, TA LIABILITY
FIND_INTEREST_RATE	Function associated with talon_pkg Package	TA LIABILITY
TALON_MESSAGE	Function associated with talon_pkg Package	None
ISLEAPYEAR	Function associated with talon_pkg Package	None
ISCOMPOUNDING	Function associated with talon_pkg Package	TA_DEBT
FIND_PAY_INTEREST_FIRST	Function associated with talon_pkg Package	TA LIABILITY
PAYINTERESTFIRST	Function associated with talon_pkg Package	TA LIABILITY
CALCULATE_INTEREST	Function associated with talon_pkg Package	TA FINANCE
ITEMIZED_BALANCE_DEBT	Procedure associated with talon_pkg Package	None
SHOW_ADJUSTMENT_INTERNAL	Procedure associated with talon_pkg Package	None
SHOW_OOS_TRANSACTION_INTERNAL	Procedure associated with talon_pkg Package	None
CALCULATE_OOS_INTEREST	Procedure associated with talon_pkg Package	None
REALLOCATE_OVERPAYMENT	Procedure associated with talon_pkg Package	TA LIABILITY, TA FINANCE
SHOW_OOS_ADJUSTMENT	Procedure associated with talon_pkg Package	None
POST_OOS_DIFFERENCES	Procedure associated with talon_pkg Package	TA LIABILITY, TA DEBT, TA FINANCE

Module	Description	Table(s) Accessed
POST_OOS_DEBT_ADJUSTMENT	Procedure associated with talon_pkg Package	TA_DEBT, TA_FINANCE
POST_OOS_DEBTOR_ADJUSTMENT	Procedure associated with talon_pkg Package	TA_DEBT_DEBTOR LIABILITY TA_FINANCE, TA LIABILITY
SHOW_ADJUSTMENT	Procedure associated with talon_pkg Package	TA LIABILITY
TALON_SECURITY	Package	
FIND_DISTRICT	Function associated with talon_security Package	TA_USER_TAB
FIND_SECURITY_LEVEL	Function associated with talon_security Package	TA_USER_TAB
FIND_AUSA	Function associated with talon_security Package	TA_USER_TAB
AUTHENTICATE	Procedure associated with talon_security Package	TA_USER_TAB
FIND_USER_LEVEL	Function associated with talon_security Package	TA_USER
CREATE_TALON_USER	Procedure associated with talon_security Package	TA_USER
CHANGE_PASSWORD	Procedure associated with talon_security Package	None
DROP_TALON_USER	Procedure associated with talon_security Package	None
VERIFY_PASSWORD	Procedure associated with talon_pkg Package	None
GRANT_TALON_ROLE	Procedure associated with talon_pkg Package	None
REVOKE_TALON_ROLE	Procedure associated with talon_pkg Package	None
BACKDOOR	Procedure associated with talon_pkg Package	None

Module	Description	Table(s) Accessed
RESET_TALON_USER	Procedure associated with talon_pkg Package	None
LOCK_TALON_USER	Procedure associated with talon_pkg Package	None
CHECK_TRACE	Procedure associated with talon_pkg Package	TA_USER
TALON_SUSP	Package	
INSERT_EVENT	Function associated with talon_susp Package	TA_EVENT
DET_PRIORITY_TICKLE_DATE	Function associated with talon_susp Package	None
DET_PRIORITY_CODE	Function associated with talon_susp Package	None
CREATE_RVPR_EVENT	Procedure associated with talon_pkg Package	TA_EVENT
CREATE_RVPR_TICKLE_EVENT	Procedure associated with talon_pkg Package	TA LIABILITY
CLOSE_RVPR_TICKLE_EVENTS	Procedure associated with talon_pkg Package	TA_EVENT
CREATE_SUSP_EVENT_TRUE	Procedure associated with talon_pkg Package	TA_EVENT
CREATE_SUSP_EVENT_FALSE	Procedure associated with talon_pkg Package	TA LIABILITY, TA_EVENT
CREATE_SUSP_REAS_EVENT	Procedure associated with talon_pkg Package	TA_EVENT
TALON_UTIL_SEARCH	Package	
AND_CLAUSE	Function associated with talon_util_search Package	None
DET_COLLECT_TYPE	Function associated with talon_util_search Package	TA_DEBT_DEBTOR LIABILITY_VW

Module	Description	Table(s) Accessed
CREATE_SEARCH_WHERE_C LAUSE	Function associated with talon_util_search Package	None
TC_REPORTS	Package	None
BUILD_CIVL_AGENCY_REPO RT	Procedure associated with tc_reports Package	TI_STAT_REPORT, TA_DISTRICT TI_REPORT_MONTHLY _BALANCE TA_REPORT_FINANCE_ TAB
BUILD_CIVL_COA_REPORT	Procedure associated with tc_reports Package	TI_STAT_REPORT, TA_DISTRICT TI_REPORT_MONTHLY _BALANCE TA_REPORT_FINANCE_ TAB
BUILD_CIVL_COLLECT_TYPE _REPORT	Procedure associated with tc_reports Package	TI_STAT_REPORT, TA_DISTRICT TI_REPORT_MONTHLY _BALANCE TA_REPORT_FINANCE_ TAB
BUILD_CIVL_DISTRICT_REPO RT	Procedure associated with tc_reports Package	TI_STAT_REPORT, TA_DISTRICT TI_REPORT_MONTHLY _BALANCE TA_REPORT_FINANCE_ TAB
BUILD_CIVL_DIST_ACE_REPO RT	Procedure associated with tc_reports Package	TI_STAT_REPORT, TA_DISTRICT TI_REPORT_MONTHLY _BALANCE TA_REPORT_FINANCE_ TAB

Module	Description	Table(s) Accessed
BUILD_CIVL_DIST_HCF_REPORT	Procedure associated with tc_reports Package	TI_STAT_REPORT, TA_DISTRICT TI_REPORT_MONTHLY_BALANCE TA_REPORT_FINANCE_TAB
BUILD_CIVL_PROG_CAT_REPORT	Procedure associated with tc_reports Package	TI_STAT_REPORT, TA_REPORT_FINANCE_TAB
BUILD_CRIM_AGENCY_REPORT	Procedure associated with tc_reports Package	TI_STAT_REPORT, TI_REPORT_MONTHLY_BALANCE TA_REPORT_FINANCE_TAB
BUILD_CRIM_COLLECT_TYPE_REPORT	Procedure associated with tc_reports Package	TI_STAT_REPORT, TI_REPORT_MONTHLY_BALANCE TA_REPORT_FINANCE_TAB
BUILD_CRIM_DISTRICT_REPORT	Procedure associated with tc_reports Package	TI_STAT_REPORT, DISTRICT, TI_REPORT_MONTHLY_BALANCE TA_REPORT_FINANCE_TAB
BUILD_CRIM_DIST_HCF_REPORT	Procedure associated with tc_reports Package	TI_STAT_REPORT, DISTRICT, TI_REPORT_MONTHLY_BALANCE TA_REPORT_FINANCE_TAB
BUILD_CRIM_PROG_CAT_REPORT	Procedure associated with tc_reports Package	TI_STAT_REPORT, TI_REPORT_MONTHLY_BALANCE TA_REPORT_FINANCE_TAB
TIGAS_UTIL	Package	

Module	Description	Table(s) Accessed
GET_LAST_PAYMENT_SEQ_FINANCE	Function associated with tigas_util Package	TALON.TA_FINANCE_TAB
GET_LAST_PAYMENT_DATE_DEBTOR	Function associated with tigas_util Package	TALON.TA_FINANCE_TAB
GET_LAST_PMT_POST_DATE_ELEMENT_DEBTOR	Function associated with tigas_util Package	TALON.TA_REPORT_FINANCE_TAB
GET_LAST_POST_PMT_AMT_DEBTOR	Function associated with tigas_util Package	TALON.TA_REPORT_FINANCE_TAB
GET_LAST_PAYMENT_DATE_ELEMENT	Function associated with tigas_util Package	TALON.TA_REPORT_FINANCE_TAB
GET_LAST_PAYMENT_AMT_DEBTOR	Function associated with tigas_util Package	TALON.TA_FINANCE_TAB
GET_LAST_PAYMENT_AMT_ELEMENT	Function associated with tigas_util Package	TALON.TA_REPORT_FINANCE_TAB
GET_DEBTOR_COLL_TYPE_BAL	Function associated with tigas_util Package	TI_REPORT_HISTORY_WINDOW
GET_DEBT_BALANCE	Function associated with tigas_util Package	TI_REPORT_MONTHLY_BALANCE
GET_COLLECT_TYPE_BAL	Function associated with tigas_util Package	TI_REPORT_HISTORY_WINDOW
GET LIABILITY BAL	Function associated with tigas_util Package	TA_REPORT_HISTORY_TAB
GET_IMPOSED_AMOUNT	Function associated with tigas_util Package	TA_FINANCE_TAB
GET_IMPOSED_CHANGE	Function associated with tigas_util Package	TA_FINANCE_TAB
GET_DEBTOR_IMPOSED_AMOUNT	Function associated with tigas_util Package	TA_FINANCE_TAB, TA_DEBT_TAB
FIND_LAST_COMPOUND_DATE	Function associated with tigas_util Package	TA_DEBT_DEBTOR LIABILITY_VW
GET_DEBT_ELEMENT_BAL	Function associated with tigas_util Package	TI_REPORT_MONTHLY_BALANCE

Module	Description	Table(s) Accessed
PAID_WITHIN_30	Function associated with tigas_util Package	TA_REPORT_FINANCE_TAB
GET_INACTIVE_PMNT_AMNT	Function associated with tigas_util Package	TA_REPORT_FINANCE_TAB
TALON_TRIGGER_PKG	Package	
SHOW_DEBT_BALANCE	Function associated with talon_trigger_pkg Package	TA_DEBT, TA LIABILITY
LOG_DEBT_BALANCE_CHECK	Procedure associated with talon_trigger_pkg Package	None
PROCESS_DEBT_BALANCE_CHECK	Procedure associated with talon_trigger_pkg Package	TA_DEBT
LOG LIABILITY CHECK	Function associated with talon_trigger_pkg Package	None
PROCESS LIABILITY CHECK	Procedure associated with talon_trigger_pkg Package	TA_DEBT, TA LIABILITY
LOG_STATUS_CHECK	Procedure associated with talon_trigger_pkg Package	None
PROCESS_STATUS_CHECK	Procedure associated with talon_trigger_pkg Package	TA_DEBT
SESSION_ACCESS_AUDIT	Procedure associated with talon_trigger_pkg Package	None
LOG_ACCESS_DATE	Procedure associated with talon_trigger_pkg Package	None
PROCESS_ACCESS_DATE	Procedure associated with talon_trigger_pkg Package	TA_DEBT, TA LIABILITY
LOG	Procedure associated with talon_trigger_pkg Package	INTO TA_AUDIT
SHOW_STATUS	Function associated with talon_trigger_pkg Package	TA LIABILITY
SHOW_CLASS	Function associated with talon_trigger_pkg Package	TA_DEBT

Module	Description	Table(s) Accessed
SHOW_CLASS_REPORT	Function associated with talon_trigger_pkg Package	TA_DEBT
UPDATE_REPORT_BALANCE	Procedure associated with talon_trigger_pkg Package	TA_REPORT_BALANCE, TA LIABILITY, TA_DEBTOR, TA_DEBT
ADD_RECORD	Procedure associated with talon_trigger_pkg Package	TA_REPORT_BALANCE, TA_REPORT_HISTORY
UPDATE_REPORT_FINANCE	Procedure associated with talon_trigger_pkg Package	TA_REPORT_FINANCE, TA_DEBT
FIND_APC	Function associated with talon_trigger_pkg Package	TA_AGENCY_PROGRAM_CODE_MAP
SESSION_REPORT_TABLES	Procedure associated with talon_trigger_pkg Package	None
TALON_UTIL	Package	
SHOW_CLASS_REPORT	Function associated with talon_util Package	None
SHOW_CLASS	Function associated with talon_util Package	None
SESSION_ACCESS_AUDIT	Function associated with talon_util Package	None
SHOW_STATUS	Function associated with talon_util Package	None
SHOW_PJ_INTEREST_START_DATE	Function associated with talon_util Package	TA_DEBT
SHOW_JUDGMENT_DATE	Function associated with talon_util Package	TA LIABILITY
SHOW_JS	Function associated with talon_util Package	TA LIABILITY
SHOW_DEBTOR	Function associated with talon_util Package	TA_DEBTOR

Module	Description	Table(s) Accessed
NEXT_USAO_NBR	Procedure associated with talon_util Package	TA_NEXT_NUMBER, TA_DECLINATION, TA_DEBT
FIND_CHANGE_DATE	Function associated with talon_util Package	TA_AUDIT
FIND_LATEST_EVENT	Function associated with talon_util Package	TA_EVENT
FIND_LATEST_PAYMENT_DATE	Function associated with talon_util Package	TA_FINANCE
FIND_LATEST_DEBTOR_PAYMENT	Function associated with talon_util Package	TA_FINANCE
FIND_LATEST_PAYMENT_INFO	Procedure associated with talon_util Package	TA_FINANCE
FIND_INTEREST_CALCULATION_DATE	Function associated with talon_util Package	TA_FINANCE, TA LIABILITY
DETERMINE_SUMMARY_VALUE	Function associated with talon_util Package	None
VERIFY_CODE	Procedure associated with talon_util Package	None
SET_RPFF3_VIEW_DATE	Procedure associated with talon_util Package	None
GET_RPFF3_VIEW_DATE	Function associated with talon_util Package	None
SET_REPORT_HISTORY_WINDOW_DATE	Function associated with talon_util Package	None
GET_REPORT_HISTORY_WINDOW_DATE	Function associated with talon_util Package	None
GET_AUDIT_INITIATE_DATE	Function associated with talon_util Package	TA_AUDIT
FIND_LAST_COMPOUND_DATE	Function associated with talon_util Package	TA LIABILITY, TA FINANCE

Module	Description	Table(s) Accessed
FIND_INTEREST_METHOD	Function associated with talon_util Package	None
SHOW_ACCRUAL_DATE	Function associated with talon_util Package	None
FIND_APC	Function associated with talon_util Package	TA_AGENCY_PROGRAM_CODE_MAP
FLIP_APC	Function associated with talon_util Package	TA_AGENCY_PROGRAM_CODE_MAP
FLIP_APC	Procedure associated with talon_util Package	TA_AGENCY_PROGRAM_CODE_MAP, TA_AGENCY_PROGRAM_CODE
FIND_NEXT_APC	Function associated with talon_util Package	TA_DEBT_DEBTOR_LIST_VW
FIND_STATEMENT_AMOUNT	Function associated with talon_util Package	None
VALIDATE_BOP	Function associated with talon_util Package	None
GET_DEBT_ELEMENT_CHNG_AMOUNT	Function associated with talon_util Package	TA_DEBT_DEBTOR_LIST_VW
FIND_LATEST_PMNT_DATE	Function associated with talon_util Package	TA_FINANCE
FIND_LATEST_PMNT_AMT	Function associated with talon_util Package	TA_FINANCE
GET_DEBT_BALANCE	Function associated with talon_util Package	TA_REPORT_HISTORY_WINDOW
GET_SUSP_DEBT_BALANCE	Function associated with talon_util Package	TA_REPORT_HISTORY_WINDOW, TA_EVENT
GET_DEBT_ELEMENT_DEBTOR	Function associated with talon_util Package	TA_DEBT_DEBTOR_LIST_VW
FIND_TOP_AMOUNT	Function associated with talon_util Package	TA_REPORT_HISTORY

Module	Description	Table(s) Accessed
FIND_DISTRICT_MESSAGE	Function associated with talon_util Package	TA_SYSTEM_PARAMS
MATCH_DISTRICT_VERSION	Function associated with talon_util Package	TA_SYSTEM_PARAMS
FIND_PRIORITY	Function associated with talon_util Package	TA_EVENT
TALON_LOGON_SECURITY	It's a database trigger	None
TA_DIST_USER	It's a database trigger	TA_USER_TAB
TA_DIST_TECHNICIAN	It's a database trigger	TA_TECHNICIAN_TAB
TA_DIST_TOP	It's a database trigger	TA_TOP_TAB
TA_DIST_TOP_DELETE	It's a database trigger	TA_TOP_DELETE_TAB
TA_DIST_SYSTEM_PARAMS	It's a database trigger	TA_SYSTEM_PARAMS_TAB
TA_DIST_REPORT_HISTORY	It's a database trigger	TA_REPORT_HISTORY_TAB
TA_DIST_STAGE_LOAD	It's a database trigger	TA_STAGE_LOAD_TAB
TA_DIST_REPORT_FINANCE	It's a database trigger	TA_REPORT_FINANCE_TAB
TA_DIST_REPORT_BALANCE	It's a database trigger	TA_REPORT_BALANCE_TAB
TA_DIST_OPT_TYPE	It's a database trigger	TA_OPT_TYPE_TAB
TA_DIST_NEXT_NUMBER	It's a database trigger	TA_NEXT_NUMBER_TAB
TA_DIST LIABILITY	It's a database trigger	TA LIABILITY TAB
TA_DIST_LOAD	It's a database trigger	TA LOAD TAB
TA_DIST_JUDGE	It's a database trigger	TA JUDGE TAB

Module	Description	Table(s) Accessed
TA_DIST_EVENT_TYPE	It's a database trigger	TA_EVENT_TYPE_TAB
TA_DIST_EVENT	It's a database trigger	TA_EVENT_TAB
TA_DIST_FINANCE	It's a database trigger	TA_FINANCE_TAB
TA_DIST_INITIAL_LOAD	It's a database trigger	TA_INITIAL_LOAD_TA_B
TA_DIST_EMPLOYEE	It's a database trigger	TA_EMPLOYEE_TAB
TA_DIST_DOCUMENT	It's a database trigger	TA_DOCUMENT_TAB
TA_DIST_DECLINATION	It's a database trigger	TA_DECLINATION_TA_B
TA_DIST_DEBTOR_HISTORY	It's a database trigger	TA_DEBTOR_HISTORY_TAB
TA_DIST_DEBTOR	It's a database trigger	TA_DEBTOR_TAB
TA_DIST_DEBT	It's a database trigger	TA_DEBT_TAB
TA_DIST CORPORATION	It's a database trigger	TA CORPORATION_TAB
TA_DIST_CASE_TYPE	It's a database trigger	TA_CASE_TYPE_TAB
TA_DIST CALENDAR_TYPE	It's a database trigger	TA_CALENDAR_TYPE_TAB
TA_DIST CALENDAR	It's a database trigger	TA_CALENDAR_TAB
TA_DIST_BRANCH	It's a database trigger	TA_BRANCH_TAB
TA_DIST_AUSA	It's a database trigger	TA_AUSA_TAB
TA_DIST_AUDIT	It's a database trigger	TA_AUDIT_TAB
TA_DIST_ADDITIONAL_CONTACT	It's a database trigger	TA_ADDITIONAL_CONTACT_TAB
TA_AUDIT LIABILITY	It's a database trigger	TA LIABILITY_TAB
TA_AUDIT FINANCE	It's a database trigger	TA FINANCE_TAB
TA_AUDIT_EVENT	It's a database trigger	TA_EVENT_TAB

Module	Description	Table(s) Accessed
TA_AUDIT_DECLINATION	It's a database trigger	TA_DECLINATION_TAB
TA_AUDIT_DEBTOR	It's a database trigger	TA_DEBTOR_TAB
TA_AUDIT_DEBT	It's a database trigger	TA_DEBT_TAB
TA_AUDIT_CALENDAR	It's a database trigger	TA_CALENDAR_TAB
TA_AUDIT_ADDITIONAL_CONTACT	It's a database trigger	TA_ADDITIONAL_CONTACT_TAB
MAINTAIN_REPORT_FINANCE	It's a database trigger	TA_FINANCE_TAB, TA_REPORT_FINANCE
STA_ID_TRIG	It's a database trigger	TA_STAGE_LOAD_TAB
MAINTAIN_REPORT_BALANCE_LIAB	It's a database trigger	TA LIABILITY_TAB, TA REPORT_BALANCE
MAINTAIN_REPORT_BALANCE_DEBTOR	It's a database trigger	TA_DEBTOR_TAB, TA_REPORT_BALANCE
MAINTAIN_REPORT_BALANCE_DEBT	It's a database trigger	TA_DEBT_TAB, TA_REPORT_BALANCE
MAINTAIN LIABILITY_ROW2	It's a database trigger	TA LIABILITY_TAB, TA EVENT_TAB
MAINTAIN LIABILITY_ROW	It's a database trigger	TA LIABILITY_TAB
MAINTAIN LIABILITY_INITIATE	It's a database trigger	TA LIABILITY_TAB
MAINTAIN LIABILITY	It's a database trigger	TA LIABILITY_TAB
MAINTAIN DEBT_STATUS_ROW	It's a database trigger	TA LIABILITY_TAB
MAINTAIN DEBT_STATUS	It's a database trigger	TA LIABILITY_TAB
MAINTAIN DEBT_ROW2	It's a database trigger	TA_DEBT_TAB, TA_EVENT_TAB
MAINTAIN DEBT_ROW	It's a database trigger	TA_DEBT_TAB
MAINTAIN DEBT_INITIATE	It's a database trigger	TA_DEBT_TAB

Module	Description	Table(s) Accessed
MAINTAIN_DEBT_CLASS	It's a database trigger	TA_DEBT_TAB
MAINTAIN_DEBTOR_ROW	It's a database trigger	TA_DEBTOR_TAB, TA_EVENT_TAB
MAINTAIN_DEBT	It's a database trigger	TA_DEBT_TAB
MAINTAIN_ACCRUAL_DATE	It's a database trigger	TA_FINANCE_TAB
MAINTAIN_ACCESS_DATE_LIA_ROW	It's a database trigger	TA LIABILITY_TAB
MAINTAIN_ACCESS_DATE_LIA	It's a database trigger	TA LIABILITY_TAB
MAINTAIN_ACCESS_DATE_FIN_ROW	It's a database trigger	TA FINANCE_TAB
MAINTAIN_ACCESS_DATE_FIN	It's a database trigger	TA FINANCE_TAB
MAINTAIN_ACCESS_DATE_EVENT_ROW	It's a database trigger	TA EVENT_TAB
MAINTAIN_ACCESS_DATE_EVENT	It's a database trigger	TA EVENT_TAB
MAINTAIN_ACCESS_DATE_DEB_ROW	It's a database trigger	TA DEBT_TAB
MAINTAIN_ACCESS_DATE_DEB	It's a database trigger	TA DEBT_TAB
MAINTAIN_ACCESS_DATE_CAL_ROW	It's a database trigger	TA CALENDAR_TAB
MAINTAIN_ACCESS_DATE_CAL	It's a database trigger	TA CALENDAR_TAB
LIAB_SCHED_PAYMENT_TRIG	It's a database trigger	TA LIABILITY_TAB
LIAB_IMETHOD_TRIG	It's a database trigger	TA LIABILITY_TAB
FIN_ID_TRIG	It's a database trigger	TA FINANCE_TAB
EVE_ID_TRIG	It's a database trigger	TA EVENT_TAB

Module	Description	Table(s) Accessed
ADD_ID_TRIG	It's a database trigger	TA_ADDITIONAL_CONTACT_TAB, TA_ADDITIONAL_CONTACT
CAL_ID_TRIG	It's a database trigger	TA_CALENDAR_TAB, TA_CALENDAR
MIGRATE_HISTORY	It's a database procedure	TA_FINANCE F, TA_DEBT D, TA_DEBTOR_HISTORY, TA_REPORT_HISTORY , TA LIABILITY, TA_DEBT_DEBTOR LIABILITY_VW, TA_REPORT_BALANCE , TA_AUDIT
DOCGEN_CONVERT	It's a database procedure	TA_DOCUMENT
ADD_DUMMY_RECORD	It's a database procedure	TA_DEBTOR, TA_CASE_TYPE, TA_AUSA, TA_TECHNICIAN, TA_EVENT_TYPE, TA_DEBT, TA LIABILITY, TA_EVENT, TA_FINANCE,
TALON_RPT	Package	
ISTERMINATED	It's a function in talon_rpt Package.	TA_EVENT
PAID_WITHIN_30	It's a function in talon_rpt Package.	TA_REPORT_FINANCE
GET_PRIORITY_CODE	It's a function in talon_rpt Package.	TA LIABILITY
ISNUMERIC	It's a function in talon_rpt Package.	None

2.3 Internal Communications

EOUSA and the USAOs operate under the Justice Consolidated Network, Phase II (JCON-II) architecture, maintaining central management over its 94 districts, which are using Windows NT Servers at the local headquarters and branches, as well as Microsoft Exchange Mail Servers and Dell Pentium II Workstations. The servers and workstations connect at 100 mb/s over a LAN. Each LAN segment is interconnected to the WAN via a Virtual Private Network (VPN). The VPN segments operate at speeds of 128-512K over an ATM connection.

All communication in the system is done over Oracle TNS/Net 8 networking running over the JCON network.

3.1 Database Management System Files

All data in TALON is stored in Oracle database tables and is accessed using SQL and PL/SQL. The database is approximately 77 GB in size, with an annual growth rate of approximately 5-10%. The vast majority of the access to the database is record selection, followed by inserts and updates. Deletes are permitted only on certain tables in TALON.

Table 3.1 lists and describes the inventory of tables in the TALON database.

Table 3.1 — TALON Tables

Table	Description	Data Access Methods
TA_ADDITIONAL_CONTACT_TAB	Contains Additional Contact information for the debtor.	SQL Plus, Forms and Reports
TA_AUDIT_TAB	Contains information on the actions taken by the TALON users on the cases.	SQL Plus, Forms
TA_CALENDAR_TAB	Contains Calendar information about the Judges and the employees of the districts.	SQL Plus, Forms and Reports
TA_CHECKOFF_TAB	Contains checkoff record created by APP and out-of-date payment/adjustment posting.	SQL Plus, Forms and Reports
TA_DEBTOR_HISTORY_TAB	Contains financial and payment history of Debtors.	SQL Plus and Reports
TA_DEBTOR_TAB	Contains information about Debtor.	SQL Plus, Forms and Reports
TA_DEBT_TAB	Contains Debt level information.	SQL Plus, Forms and Reports

Table	Description	Data Access Methods
TA_DECLINATION_TAB	Contains information about the cases that have been declined.	SQL Plus, Forms and Reports
TA_DOCUMENT_TAB	Being used by document generation. Contains the Document numbers and their complete SQL statements.	SQL Plus, Forms and Reports
TA_EMPLOYEE_TAB	Contains alias/codes and full names of district FLU employees.	SQL Plus, Forms and Reports
TA_EVENT_TAB	Contains information about the TALON Events.	SQL Plus, Forms and Reports
TA_FINANCE_TAB	Contains financial information about the Debts.	SQL Plus, Forms and Reports
TA_INITIAL_LOAD_TAB	Undifferentiated repository for all the raw data loaded by APP. This table contains field names (Like Load1, Load2 etc.) and is being used to load the data first time.	SQL Plus, Forms and Reports
TA_INITIAL_RECONCILE_TAB	Undifferentiated repository for all the raw data loaded by Automatic Reconciliation.	SQL Plus, Forms and Reports
TA LIABILITY TAB	Contains information about the Debtor Liability.	SQL Plus, Forms and Reports
TA_LOAD_TAB	Contains the APP sessions.	SQL Plus, Forms and Reports
TA RECONCILE TAB	Contains Reconciliation sessions	SQL Plus, Forms and Reports

Table	Description	Data Access Methods
TA_RECONCILE_DETAILS_TAB	Contains formatted data to be used by Automatic Reconciliation.	SQL Plus, Forms and Reports
TA_REPORT_BALANCE_TAB	Contains the Debt Element level (Collect Type) financial information as of last transaction.	SQL Plus, Forms and Reports
TA_REPORT_FINANCE_TAB	Contains the Debt Element level (Collect Type) financial information for each seq finance.	SQL Plus, Forms and Reports
TA_REPORT_HISTORY_TAB	Contains the debt and individual debtor information. It contains the current balances of each Debt Element as of the transaction posting date.	SQL Plus, Forms and Reports
TA_STAGE_LOAD_TAB	Contains formatted data to be used by APP.	SQL Plus, Forms and Reports
TA_TOP_DELETE_TAB	Contains information about the records sent for TOP delete.	SQL Plus, Forms and Reports
TA_TOP_TAB	Contains information about records added in TOP	SQL Plus, Forms and Reports
TA_USER_TAB	Contains information about TALON users like username, full name security level etc.	SQL Plus, Forms and Reports
TA_ACTIVITY_TYPE	Contains Activity codes and their description.	SQL Plus, Forms and Reports
TA_ADHOC_REPORTS_TAB	Contains file name and description of the adhoc reports.	SQL Plus, Forms and Reports

Table	Description	Data Access Methods
TA_AGENCY	Contains Agency codes and their description.	SQL Plus, Forms and Reports
TA_AGENCY_GROUP	Contains Agency Group and agencies codes included in that group.	SQL Plus, Forms and Reports
TA_AGENCY_PROGRAM_CODE	Contains Agency Program codes and their description.	SQL Plus, Forms and Reports
TA_AGENCY_PROGRAM_CODE_MAP	Contains Agency Program code and Agency Program code for Debt in Suspense for each Collect Type.	SQL Plus, Forms and Reports
TA_APP_FORMAT_SOURCE_TAB	Contains the descriptions of the data for each APP Format,	SQL Plus, Forms and Reports
TA_APP_FORMAT_TAB	Contains a list of all formats available and the matching procedures for Automatic Payment Posting	SQL Plus, Forms and Reports
TA_APP_FORMAT_TARGET_TAB	Contains the descriptions of how the source data maps to the TALON columns for each APP Format.	SQL Plus, Forms and Reports
TA_AUSA_TAB	Contains AUSA codes and their full name.	SQL Plus, Forms and Reports
TA_BRANCH_TAB	Contains code, status and description of the Branch.	SQL Plus, Forms and Reports
TA_CALENDAR_TYPE_TAB	Contains code, status and description of the Calendars.	SQL Plus, Forms and Reports

Table	Description	Data Access Methods
TA_CASE_TYPE_TAB	Contains code, status and description of the Case Types.	SQL Plus, Forms and Reports
TA_CAUSE_OF_ACTION	Contains code, status and description of the Cause of Actions.	SQL Plus, Forms and Reports
TA_CHECKOFF_TYPE	Contains Checkoff Item Types.	SQL Plus, Forms and Reports
TA_CHECKS_ACCEPTED	Contains “Y” and “N” codes.	SQL Plus, Forms and Reports
TA_COLLECT_TYPE	Contains code, status and description of the Collect Types.	SQL Plus, Forms and Reports
TA_CORPORATION_TAB	Contains code, status and description of Corporation.s	SQL Plus, Forms and Reports
TA_COURT	Contains code, status and description of Court.	SQL Plus, Forms and Reports
TA_DISPOS_TYPE	Contains code, status and description of Disposition.s	SQL Plus, Forms and Reports
TA_DISTRICT	Contains code and description of Districts	
TA_DOCGEN_COLS	Being used by document generation. Contains table name, column name and the column headings.	SQL Plus, Forms and Reports

Table	Description	Data Access Methods
TA_DOCGEN_JOINS	Being used by document generation. Contains the table names from which data is being retrieved and the join conditions.	SQL Plus, Forms and Reports
TA_DOCGEN_PARM	Being used by document generation. Contains parameter values.	SQL Plus, Forms and Reports
TA_DOCGEN_TABS	Being used by document generation. Contains table names and the aliases.	SQL Plus, Forms and Reports
TA_DOCGEN_WHERE	Being used by document generation. Contains the where clause and a brief description of it.	SQL Plus, Forms and Reports
TA_DOCGEN_WHERE_TABS	Being used by document generation. Contains table names and aliases.	SQL Plus, Forms and Reports
TA_DOJ_DIVISION	Contains code, status and description of the divisions of the DOJ.	SQL Plus, Forms and Reports
TA_EVENT_TYPE_TAB	Contains code, status and description of the TALON Events.	SQL Plus, Forms and Reports
TA_FINANCE_CODE	Contains code, status and description of the finance codes.	SQL Plus, Forms and Reports
TA_JUDGE_TAB	Contains code/alias, status and description/full name of the judges in a district.	SQL Plus, Forms and Reports
TA_NEXT_NUMBER	Contains information about the current year and the next number that will be used to create the next USAO_NBR for the new case.	SQL Plus, Forms and Reports

Table	Description	Data Access Methods
TA_OPT_TYPE_TAB	Contains opt type, status and description of the Additional Contact Types.	SQL Plus, Forms and Reports
TA_PAYMENT_CYCLE	Contains code, status and description of the payment cycles.	SQL Plus, Forms and Reports
TA_PAYMENT_FORM	Contains code, status and description of the Forms of Payment.	SQL Plus, Forms and Reports
TA_PROG_CAT_CR	Contains code, status and description of the criminal program categories (Code less than 100).	SQL Plus, Forms and Reports
TA_PROG_CAT_CV	Contains code, status and description of the civil program categories (Code equal to and more than 100).	SQL Plus, Forms and Reports
TA_REASON	Contains code, status and description of the reasons of declination.	SQL Plus, Forms and Reports
TA RECEIVED_BY_USAO	Contains code, status and description of the means of payments received.	SQL Plus, Forms and Reports
TA_STATE	Contains the code, status and names of the states in the USA.	SQL Plus, Forms and Reports
TA_SUS_REASON	Contains the code, status description of Suspense Reasons.	SQL Plus, Forms and Reports
TA_SYSTEM_PARAMS_TAB	Contains the district related flags and Deposit Numbers.	SQL Plus, Forms and Reports

Table	Description	Data Access Methods
TA_TECHNICIAN_TAB	Contains code, status, and names for FLU Technicians.	SQL Plus, Forms and Reports
TA_TRANSFER_CODE	Contains code, status, and description for transfer codes.	SQL Plus, Forms and Reports
TA_TRANSFER_DISTRICT	Contains code, status, and description for transfer districts.	SQL Plus, Forms and Reports

An Entity-Relationship Diagram, a list of the Table Creation Scripts, and a complete Data Dictionary are included in the appendix to this document.

3.2 Non-Database Management System Files

All Storage files are inside the database.

4.1 Inputs

All input for TALON is done through the Oracle Forms 4.5 user interface. Graphical representations and explanations of the entire GUI interface can be found in the TALON User's Guide. The forms provide record selection, insertion and update capabilities to the user and access the database directly from the user's workstation. Each of the forms are described in *Table 2.1* and can be further decomposed using the list of tables in *Table 3.1* and the Data Dictionary in Appendix C.

4.2 Outputs

4.2.1 Reports

All standard reports are developed using Oracle Reports 2.5. Reports can be printed directly or output to files. Users also have the ability to write custom reports through SQL*Plus or Crystal Reports.

Table 4.1 provides a complete list of the standard reports in TALON version 7.2.0.

Table 4.1 — TALON Reports

Reports
CZ_QRY1.RDF (General Inquiry)
CZ_CR_QRY2.RDF (Single Case Full History for Criminal Cases)
CZ_CV_QRY2.RDF (Single Case Full History for Civil Cases)
CZ_CV_Q2SUP.RDF (Compressed History for Civil Cases)
CZ_CR_Q2SUP.RDF (Compressed History for Criminal Cases)
CZ_RPTN1.RDF (Report on All Records)
CZ_RPTN2.RDF (Report on Open Records Only)
CZ_RPTO.RDF (Court Number Index)
CZ_QRY6.RDF (Immediate Decl. Index)
CZ_QRY4.RDF (Immediate Decl. History)
CZ_QRYG.RDF (Pmnt History - Single Case)

Reports
CZ_ACE.SQL (ACE Recoveries Collections)
CZ_RPTE1.RDF (Report on a Single Agency)
CZ_RPTE2.RDF (Report on a Range of Agencies)
CZ_RPTE3.RDF (Report on All Agencies)
CZ_RPTT.RDF (Aging Report)
CZ_RPTT_PRTY.RDF (Aging Report By Priority Code)
CZ_RPTT_TECH.RDF (Aging Report By Technician)
CZ_RPTG.RDF (Amount of Debt)
CZ_RPTBB1.RDF (General History Collections only)
CZ_RPTBB2.RDF (Immediate Declination only)
CZ_BBSUP.RDF (Debtor History Compressed)
CZ_RPTR.RDF (Case Inventory)
CZ_RPTI1.RDF (Report on a Single Cause of Action)
CZ_RPTI2.RDF (Report on a Range of Cause of Action)
CZ_RPTI3.RDF (Report on All Cause of Actions)
CZ_RPTW.RDF (Compoud Report)
CZ_RPTO.RDF (Court Number)
CZ_RPTN1.RDF (Debtor Index Report - on All Records)
CZ_RPTN2.RDF (Debtor Index Report - on Open Records Only)
CZ_RPDD4.RDF (Bank Deposit Tickets Report & Increase Ticket Number)
CZ_RPDA4.RDF (Credit Card Deposit Tickets Report & Increase Ticket Number)
CZ_RPTH.RDF (Disposition Report)
CZ_RPTVA.RDF (Finance Transactions Report on All Transactions)
CZ_RPTVB.RDF (Finance Transactions Report on a Single Finance Code)

Reports
CZ_RPTV2.RDF (Other Recoveries (Non-Asset Forfeiture))
CZ_RPTV3.RDF (Other Reductions)
CZ_RPTV4.RDF (Asset Forfeiture)
CZ_RPTAA.RDF (Immediate Declinations)
CZ_RPTF.RDF (Initiation Rpts)
CZ_TOPN1.RDF (Top Reports - List TOPN Events)
CZ_TOPN2.RDF (Top Reports - List TOPN Events)
CZ_TOPN3.RDF (Top Reports - List TOPN Events)
POST170.SQL (Top Reports - Post 170 Processing)
CZ_TTOPA.RDF (Top Reports - List TOPA Events)
CZ_TOPE.RDF (Top Reports - Debts Eligible for the TOP)
CZ_ADDEV.SQL (Top Reports - Add Events TOPN/ST and TOPA/CM to Other Debt Sequences)
(Top Reports - Add Debts - for Event Dates Within Date Range of Report) <i>The following reports are being called by this option:</i> CZ_TOPAR.RDF, CZ_TOPAX.RDF
(Top Reports - Finance Adjustment/Deletion - for Event Dates with Date Range of Report) <i>The following reports are being called by this option:</i> CZ_TOPDR.RDF, CZ_TOPDX.RDF
(Top Reports - Data Change) <i>The following reports are being called by this option:</i> CZ_TOPCR.RDF, CZ_TOPCX.RDF
CZ_TOPU.SQL (Top Reports - Re-Certification - Add Events TOPU/CN for Every TOPA/CM Event)
(Top Reports - Re-Certification - for Events Dates Within Date Range of Report) <i>The following reports are being called by this option:</i> CZ_TOPUR.RDF, CZ_TOPUX.RDF
CZ_RPTK.RDF (Judgement Rpts - By Judgment Date)
CZ_RPTK2.RDF (Judgement Rpts - By Judgment Renew Date)

Reports
CZ_RPTK3.RDF (Judgement Rpts - Judgment with No Liens Filed)
CZ_RPFF1.EXE (Monthly Stats./C + D - Monthly Statistical on Civil Cases)
CZ_RPFF2.EXE (Monthly Stats./C + D - Monthly Statistical on Criminal Cases)
CZ_RPFF3.EXE (Monthly Stats./C + D - Appendices C & D Reports)
(Monthly Stats./C + D - Appendices C & D Detail Reports) <i>The following reports are being called by this option:</i> CRPNA.SQL, CRPNH.SQL, CRSUA.SQL, CRSUH.SQL, CRREA.SQL, CRREH.SQL, CROPA.SQL, CROPH.SQL, CRCAA.SQL, CRCAH.SQL, CRRCA.SQL, CRRCH.SQL, CRRDA.SQL, CRRDH.SQL, CRDIA.SQL, CRDIH.SQL, CVPNA.SQL, CVPNH.SQL, CVOPA.SQL, CVOPH.SQL, CVCAA.SQL, CVCAH.SQL, CVNCA.SQL, CVNCH.SQL, CVRDA.SQL, CVRDH.SQL, CVDIA.SQL, CVDIH.SQL
CZ_CRCAA.SQL (For Criminal Cases. Report Details of Records from Appendix C & D. For Debt Activity--Cash Collected by Imposition Type)
CZ_CRCAH.SQL (For Criminal Cases. Report Details of Records from Appendix C & D. For Debt Activity--Cash Collected by Imposition Type for Health Care Fraud only)
CZ_CRDIA.SQL (Counts of Criminal Dispositions by Imposition Type)
CZ_CRDIH.SQL (Counts of Criminal Dispositions by Imposition Type for Health Care Fraud Only)
CZ_CROPA.SQL (For Criminal Cases. For Debt Activity--Debts Opened/Adjustments by Imposition Type)
CZ_CROPH.SQL (For Criminal Cases. For Debt Activity--Debts Opened/Adjustments by Imposition Type for Health Care Fraud Only)
CZ_CRPNA.SQL (For Criminal Cases. For Pending Debts by Imposition Type)
CZ_CRPNH.SQL (For Criminal Cases. For Pending Debts by Imposition Type for Health Care Fraud Only)
CZ_CRRCA.SQL (For Criminal Cases. For Debt Activity--Other Recoveries by Imposition Type)
CZ_CRRCH.SQL (For Criminal Cases. For Debt Activity--Other Recoveries by Imposition Type for Health Care Fraud Only)

Reports
CZ_CRRDA.SQL (For Criminal Cases. For Debt Activity--Other Reductions by Imposition Type)
CZ_CRRDH.SQL (For Criminal Cases. For Debt Activity--Other Reductions by Imposition Type for Health Care Fraud Only)
CZ_CRREA.SQL (For Criminal Cases. For Reasons for Placing Debts in Suspense by Imposition Type.)
CZ_CRREH.SQL (For Criminal Cases. For Reasons for Placing Debts in Suspense by Imposition Type; for Health Care Fraud Only)
CZ CRSUA.SQL (For Criminal Cases. For Debts in Suspense by Imposition Type)
CZ CRSUH.SQL (For Criminal Cases. For Debts in Suspense by Imposition Type for Health Care Fraud Only)
CZ_CVCAA.SQL (Report Details of Records from Appendix C & D For Civil Cases. For Debt Activity--Cash Collected by Imposition Type)
CZ_CVCAH.SQL (For Civil Cases. For Debt Activity--Cash Collected by Imposition Type for Health Care Fraud Only)
CZ_CVDIA.SQL (For Civil Cases. Counts of Civil Dispositions by Imposition Type)
CZ_CVDIH.SQL (For Civil Cases. Counts of Civil Dispositions by Imposition Type for Health Care Fraud Only)
CZ_CVNCA.SQL (For Civil Cases. For Debt Activity--Non-Cash by Imposition Type)
CZ_CVNCH.SQL (For Civil Cases. For Debt Activity--Non-Cash by Imposition Type for Health Care Fraud Only)
CZ_CVOPA.SQL (For Civil Cases. For Debt Activity--Debts Opened/Adjustments by Imposition Type)
CZ_CVOPH.SQL (For Civil Cases. For Debt Activity--Debts Opened/Adjustments by Imposition Type; for Health Care Fraud Only)
CZ_CVPNA.SQL (For Civil Cases. For Pending Debts by Imposition Type)

Reports
CZ_CVPNH.SQL (For Civil Cases. For Pending Debts by Imposition Type for Health Care Fraud Only)
CZ_CVRDA.SQL (For Civil Cases. For Debt Activity--Reductions by Imposition Type)
CZ_CVRDH.SQL (For Civil Cases. For Debt Activity--Reductions by Imposition Type for Health Care Fraud Only)
CZ_SEVNT.SQL (Monthly Stats./C + D - Cases in Suspense without Suspense Events)
CZ_RPTP.RDF (No Court Nbr)
CZ_RPTM.RDF (Overdue Payments)
CZ_RPTU1.RDF (Report on All Payments)
CZ_RPTU2.RDF (Report on a Single Collection Type)
CZ_RPTU3.RDF (Report on Received by USAO)
CZ_RPTY.RDF (Pmnt. < Int. Accrued)
QC.SQL (Quality Control Rpts)
QC1.SQL (Debts Opened as Assessments of More Than \$1,000)
QC2.SQL (New Impositions over \$50,000)
QC3.SQL (Payments Over \$50,000)
QC4.SQL (Adjustments (IMPC, BALA) of \$1000 or More)
QC5.SQL (Cases with More Than Two Non-Payment Transactions in a Day)
QC6.SQL (Transactions that Increased Debts with Invalid Codes)
QC7.SQL (Disagreement Between Collection Type and Cause of Action - Open Cases)
QC8.SQL (Disagreement Between Disposition Code and Last Finance Code)
QC9.SQL (Balances Less than \$25 for Open Cases)
QC10.SQL (Criminal Debts for Agency JUST and Program Category 090 - Open Cases)
QC11.SQL (Payment Amounts Less Than Interest Accrued - Open Cases)

Reports
QC12.SQL (Open Liabilities in Prejudgment Status for More Than 45 Days)
CZ_RPTJ1.RDF (Report on a Single Program Category)
CZ_RPTJ2.RDF (Report on a Range of Program Categories)
CZ_RPTJ3.RDF (Report on All Program Categories)
CZ_RPTZ.RDF (Records Accessed)
CZ_RPTQ.RDF (Related USAO # Index)
CZ_TKL.RDF (Tickler)
CZ_RPTA1.RDF (Prejudgment Workload)
CZ_RPTA2.RDF (Civil Collection Workload)
CZ_RPTA3.RDF (Criminal Collection Workload)
CZ_RPA41.RDF (Workload - Sorted by Technician, Debtor Name)
CZ_RPA42.RDF (Workload - Sorted by AUSA, Debtor Name)
CZ_RPA43.RDF (Workload - Sorted by Branch, Debtor Name)
CZ_RPA44.RDF (Workload - Sorted by Collection Type, Debtor Name)
CZ_RPA45.RDF (Workload - Sorted by Debtor Name)
CZ_RPA46.RDF (All Collections Workload Report. This report is sorting by USAO Nbr/Seq, Debtor Name.)
CZ_RPA47.RDF (All Collections Workload Report. This report is to sorting by Case Type, highest to lowest liability.)
CZ_RPA48.RDF (All Collections Workload Report. This report is sorting by Case Type, Judgment Date (Oldest to Newest))
CA_QRY1.RDF (Single Calendar Item)
DOCRPT.RDF (PRINT DOCUMENT SELECTION STATEMENT)
CA_QRY2.RDF (Calendar For One Day)
CA_QRY4.RDF (Calendar For One Emp. Or AUSA)
CA_QRY3.RDF (Calendar For Judge)
CA_QRY5.RDF (Calendar For Branch)

Reports
CA_RPTAA.RDF (A - Master (No Suspense))
CA_RPTB.RDF (B - Master Sorted By Employee)
CA_RPTC.RDF (C - Master Sorted By Judge)
CA_RPTD.RDF (D - Master Sorted By Branch)
CA_RPTE.RDF (E - All Suspense By Date)
CA_RPTF.RDF (F - All Suspense By Employee)
CZ_APCHECKOFF.RDF (Check-Off Items Report. This report appears after the Check-Off Items form.)
CZ_APPAYREP.RDF (Automatic Payments Posted Report. This is Oracle Designer report and is displayed after the Load Payments form loads a file.)
CZ_APRECREP.RDF (Reconcile Deposit Tickets Report)
CA_RPTA.RDF (Master Calendar for the Period DD-MON-YY To DD-MON-YY)
CZ_ADDTOPU.SQL (Add TOPU/CN event for all TOPA/CM events in a date range)
CZ_DACIVL.SQL (Civil Detailed Debt Activity Report)
CZ_DACRIM.SQL (Criminal Detailed Debt Activity Report)
CZ_DDDSP.RDF (Direct Deposit Report order by BOP Registry Number.)
CZ_DSTAT.RDF (Debtor Status Report Sorted by Anticipated Release)
CZ_LTOPA.RDF (TOPA Events with Activity Specified by User for Open Debts)
CZ_PRIORITY_CODE1.RDF (Priority Code Report by Priority Code, Debtor Name)
CZ_PRIORITY_CODE2.RDF (Priority Code Report by Debtor Name)
CZ_PRIORITY_CODE3.RDF (Priority Code Report by Next Review Date, Debtor Name)
CZ_PROJ1.SQL (Projection Report - Part 1, Lists Civil and Criminal amounts and counts for Debt Elements Opened, Collections, and Reductions by dollar ranges for FY entered plus 4 previous FYs. Excludes Asset forfeiture, Bankruptcy, and Foreclosure.

Reports

CZ_PROJ2.SQL (Projection Report - Part 2, Lists Civil and Criminal amounts and counts for Debt Elements Opened, Collections, and Reductions by dollar ranges for FY entered plus 4 previous FYs for dollar values greater than or equal to large dollar value entered by user. Excludes Asset forfeiture, Bankruptcy, and Foreclosure.

4.2.2 Document Generation

In addition to reports, TALON also provides the functionality to produce text-based documents and correspondence through a module called Document Generation (or Doc Gen). TALON allows the user to identify and tag records for generation. The module then extracts the appropriate data elements (dependent upon the type of document to be generated) and performs a data merge with a WordPerfect template. The document can be saved to file or printed. Users have the ability to modify the templates and the SQL used to extract the data.

Table 4.2 provides a complete list of the standard documents in TALON version 7.2.0.

Table 4.2 — TALON Documents

DOC_CODE	DOCUMENT_DESCRIPTION
101	Initial civil demand letter and complaint
102	Ltr forwarding motion for consent judgment and FSF
103	Demand letter with copy of judgment
104	Six-month financial review for Paying Debtor
105	Delinquent payment letter (Civil)
106	2nd Request for financial statement (civil)
107	Civil satisfaction of judgment
109	Installmnt plan ltr with Stip for Entry of Jdgmt
110	Dismissal w/o prejudice/cost - unable to serve
111	Final judgment by consent
112	Affidavit of Service of Process
113	Returned check
114	Requisition for Offset - Federal Employee Debtor
115	Employment verification letter
116	Locator letter to Postmaster
117	Notice to Appear - Civil Judgment Debtor Exam
118	BOP LETTER
119	Criminal Delinquent Letter (BATCH)

DOC_CODE	DOCUMENT_DESCRIPTION
120	Requestment for Allotment
123	Installment Payment Letter
124	Memo re Judgment (DOE)
125	Agencymemorejudgment.sba
126	PAYMENT PLAN (test)
127	SBA Closing letter
150	Debtor Monthly Statement (with Interest)
151	Debtor Monthly Statement (Non-interest bearing)
152	BOP Debtor Statement
155	Debtor Statements - LockBox Pilot Project
156	Debtor Statements - Non-Federal Restitution
157	Debtor Statements - LockBox Pilot Project (Crim)
158	Debtor Statements - LockBox Pilot Project (Crim)
159	Debtor Statements - LockBox Pilot Project (Crim)
160	Debtor Statements - LockBox Pilot Project (Crim)
161	Debtor Statements - LockBox Pilot Project (Crim)
162	Debtor Statements - LockBox Pilot Project (Crim)
163	Debtor Statements - LockBox Pilot Project (Crim)
164	Debtor Statements - LockBox Pilot Project (Crim)
165	Debtor Statements - LockBox Pilot Project (Crim)
170	Page 1 - Notice of Intent to Offset
200	Repayment letter (criminal)
201	Inmate Financial Responsibility Withdrawl Req Form
202	DELINQUENT LETTER (CRIMINAL)
203	Satisfaction of Judgment - Criminal Debtor
205	BOP Letter to Case Manager
207	Request for Information from Probation Office
209	Probation expiration letter
210	Judgment Debtor Exam Subpoena (Criminal Debt)
211	Ltr requesting Assessment in full (BATCH)
301	Abstract of Judgment
302	Probate letter
303	Notice of Lien (Antiterrorism Act)
304	Garnishment accounting letter
305	Garnishment package (CIVIL ONLY)
306	Overdue letter for civil debts only (BATCH)

DOC_CODE	DOCUMENT_DESCRIPTION
307	GARNISHMENT PACKAGE (CRIMINAL ONLY)
308	COMPLAINT
309	Cancellation and Release w/ltr to Probate Judge
310	ltr, motion for consent jgmt, jgmt
311	Complaint - Two Notes
315	Motion to dismiss complaint without prejudice
316	Satisfaction of Judgment (CRIMINAL)
317	Delinquent notice for balance due (CRIMINAL)
318	Final demand letter (CIVIL)
321	Civil Garnishment with surcharge
322	Request for annual financial statement
323	Initial request for Financial Statement
324	Request for annual financial statement (CRIMINAL)
325	Post Judgment Exam Letter
326	Installment payment letter
327	Letter requesting ASSESSMENT in full (BATCH)
328	Memo to ED providing Judgment Information
329	Memo to SBA providing Judgment Information
330	Civil Cover Sheet
400	Civil - Motion for Consent Judgment and Judgment
401	Civil - Application for Default Package
402	Civil - Judgment Debtor Exam Package
403	Civil - Satisfaction of Judgment
404	Civil - Complaint - VA Overpayment
405	Installment Payment Agreement
450	Civil - Consent Judgment Letter
451	Employment letter to State of Alabama
452	Notice to Appear
454	Judgment exam letter
455	Request for Service of Summons & Complaint
456	Notice to Dismiss Complaint
457	Motion to dismiss garnishment and proposed order
458	Cancellation and Release
459	Motion to Dismiss Complaint
460	Petition for Remission
461	EDUC Closing Letter - Paid in full

DOC_CODE	DOCUMENT_DESCRIPTION
462	McDALE LETTER (LTR TO CRIMINAL DEFENDANT'S ATTY)
463	Closing ltr to EDUC - UNCOLLECTIBLE
464	Motion for Summary Judgment
465	Debtor Exam Package w/Address
466	Probate Authorization letter
467	Request for check to file abstract of judgment
468	Request for check for filing notice of lien
469	Criminal delinquent letter withou penalties info
470	Writ of Execution (Bank)
471	Jugment Letter to Agency
475	Delinquent Installment payment letter (Criminal)
476	Clerk's Receipt
478	Installment Payment Agreement
479	Cancellation and Release Authorization
500	Criminal Fine Demand Letter
501	Ltr to garnishee for non payment
502	Disbursement memo
503	Ltr re Late Debtor Statements
505	late. pymt
600	Default Judgment for MS/SD
999	Military offset. test document

5 External Interfaces

5.1 WordPerfect

As part of the Document Generation process, TALON utilizes the WordPerfect application located on each users' PC. Standard WordPerfect templates reside along with the TALON system executables on the local file and print server in each USAO.

Within the TALON application, the user selects a debtor, then inserts a record into the event history identifying the document to be generated. The user then initiates the Document Generation process. TALON writes data records based on the SQL script for the document selected, to a flat text file which is stored on the local file system in a predefined directory. Finally, TALON executes a command to launch WordPerfect and passes a series of commands to merge the text file with the template of the selected document. The document is created and saved to a local directory on the user's PC.

5.2 Financial Calculator

TALON contains a menu option for a Financial Calculator. Selecting this option will launch the calculator only. No data is accepted from TALON and no data is returned to TALON by the calculator. The Financial Calculator is public domain software and is neither developed nor maintained by the TALON team.

6.1 User Access

The application provides the user access to the database. Individual USAOs are only allowed access to cases assigned to their district and can neither view nor edit other districts' data.

Table 6.1 lists the roles utilized by TALON and describes the access to data and data manipulation provided by each role.

Table 6.1 — User Roles

Role	Description	Access
SM	Administrator	Create/Modify Users
DC	Docket Clerk	View, Insert, Update
A1	Supervisory Attorney	View
A2	Staff Attorney	View **(restricted to only debts the user is assigned)
PL	Paralegal	View, Insert, Update
RE	Reviewer	View, Insert, Update

7 Appendix A: Entity Relationship Diagram

The TALON Version 7.2.0 is included on the following page.

8 Appendix B: Data Dictionary

8.1 Data Tables

- 8.1.1 TA_ADDITIONAL_CONTACT_TAB
- 8.1.2 TA_AUDIT_TAB
- 8.1.3 TA_CALENDAR_TAB
- 8.1.4 TA_CHECKOFF_TAB
- 8.1.5 TA_DEBTOR_HISTORY_TAB
- 8.1.6 TA_DEBTOR_TAB
- 8.1.7 TA_DEBT_TAB
- 8.1.8 TA_DECLINATION_TAB
- 8.1.9 TA_DOCUMENT_TAB
- 8.1.10 TA_EMPLOYEE_TAB
- 8.1.11 TA_EVENT_TAB
- 8.1.12 TA_FINANCE_TAB
- 8.1.13 TA_INITIAL_LOAD_TAB
- 8.1.14 TA_INITIAL_RECONCILE_TAB
- 8.1.15 TA LIABILITY_TAB
- 8.1.16 TA_LOAD_TAB
- 8.1.17 TA RECONCILE_TAB
- 8.1.18 TA RECON_DETAILS_TAB
- 8.1.19 TA REPORT_BALANCE_TAB
- 8.1.20 TA REPORT_FINANCE_TAB
- 8.1.21 TA REPORT_HISTORY_TAB
- 8.1.22 TA STAGE_LOAD_TAB
- 8.1.23 TA TOP_DELETE_TAB
- 8.1.24 TA_TOP_TAB
- 8.1.25 TA_USER_TAB

8.1.1 TA_ADDITIONAL_CONTACT_TAB

FIELD NAME	Null?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
ADDID	NOT NULL	NUMBER
DEBTORID	NOT NULL	NUMBER
NAME		VARCHAR2(46)
OPT_TYPE		VARCHAR2(2)
ADDRESS_1		VARCHAR2(40)
ADDRESS_2		VARCHAR2(40)
CITY		VARCHAR2(23)
STATE		VARCHAR2(2)
ZIP		VARCHAR2(10)
PHONE1		VARCHAR2(13)
PHONE2		VARCHAR2(13)
MISC_1		VARCHAR2(15)
MISC_2		VARCHAR2(15)
DATE_1		DATE
DATE_2		DATE
NOTE		VARCHAR2(2000)

8.1.2 TA_AUDIT_TAB

FIELD NAME	Null?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
ACTION	NOT NULL	VARCHAR2(1)
ACTION_DATE	NOT NULL	DATE
ACTION_USER	NOT NULL	VARCHAR2(30)
USAO_NBR		VARCHAR2(10)
USAO_SEQ		VARCHAR2(3)
DEBTORID		NUMBER
SEQ_FINANCE		VARCHAR2(4)
ADDID		NUMBER
EVEID		NUMBER
CALID		NUMBER

8.1.3 TA_CALENDAR_TAB

FIELD NAME	Null?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
CALID	NOT NULL	NUMBER
USAO_NBR	NOT NULL	VARCHAR2(10)
USAO_SEQ	NOT NULL	VARCHAR2(3)
SCHED_TIME		VARCHAR2(6)
EMPLOYEE		VARCHAR2(3)
JUDGE		VARCHAR2(3)
SCHED_DATE		DATE
COURT_NBR		VARCHAR2(25)
CALENDAR_TYPE	NOT NULL	VARCHAR2(2)
NOTE		VARCHAR2(2000)
NAME		VARCHAR2(30)

FIELD NAME	Null?	DATA TYPE
BRANCH		VARCHAR2(1)

8.1.3 TA_CHECKOFF_TAB

FIELD NAME	Null?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
CHECKOFF_ID	NOT NULL	NUMBER
CHECK_TYPE	NOT NULL	VARCHAR2(30)
USAO_NBR		VARCHAR2(10)
USAO_SEQ		VARCHAR2(3)
DEBTOR_NAME		VARCHAR2(50)
SSN		VARCHAR2(11)
AMOUNT		NUMBER
TRANS_DATE		DATE
COURT_NBR		VARCHAR2(25)
DESCRIPTION	NOT NULL	VARCHAR2(2000)
LOG_DATE	NOT NULL	DATE
CHECK_DATE		DATE
CHECK_USER		VARCHAR2(30)
CHECK_NOTE		VARCHAR2(1000)

8.1.5 TA_DEBTOR_HISTORY_TAB

FIELD NAME	Null?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
USAO_NBR	NOT NULL	VARCHAR2(10)
USAO_SEQ	NOT NULL	VARCHAR2(3)
SEQ_FINANCE	NOT NULL	VARCHAR2(4)
BALANCE_DEBTORID	NOT NULL	NUMBER
TRANSACTION_DEBTORID		NUMBER
PAYOUT_AMOUNT		NUMBER
POSTING_DATE	NOT NULL	DATE
ACCRUED_INTEREST		NUMBER
ACCRUED_FINE_INTEREST		NUMBER
ACCRUAL_DATE		DATE
ACCRUAL_INTEREST_RATE		NUMBER
CHNG_ASSESSMENT		NUMBER
CHNG_PJ_COSTS		NUMBER
CHNG_AOUSC_COSTS		NUMBER
CHNG_COURT_COSTS		NUMBER
CHNG_PRINCIPAL		NUMBER
CHNG_INTEREST		NUMBER
CHNG_CRIM_COURT_COSTS		NUMBER
CHNG_FINE		NUMBER
CHNG_FINE_INTEREST		NUMBER
CHNG_PENALTY		NUMBER
CHNG_SURCHARGE		NUMBER
CHNG_OVERPAYMENT		NUMBER
RUN_ASSESSMENT		NUMBER

FIELD NAME	NULL?	DATA TYPE
RUN_PJ_COSTS		NUMBER
RUN_AOUSC_COSTS		NUMBER
RUN_COURT_COSTS		NUMBER
RUN_PRINCIPAL		NUMBER
RUN_INTEREST		NUMBER
RUN_CRIM_COURT_COSTS		NUMBER
RUN_FINE		NUMBER
RUN_FINE_INTEREST		NUMBER
RUN_PENALTY		NUMBER
RUN_SURCHARGE		NUMBER
RUN_TOTAL		NUMBER
RUN_OVERPAYMENT		NUMBER
FINANCE_CODE	NOT NULL	VARCHAR2(4)
PAYMENT_FORM		VARCHAR2(2)
CHECK_NBR		VARCHAR2(10)
DEPOSIT_NBR		VARCHAR2(11)
RECEIVED_BY_USAO		VARCHAR2(1)
RECEIVED_FROM		VARCHAR2(20)
RECEIVED_DATE		DATE
RELATED_SEQ_FINANCE		VARCHAR2(4)
USER_INITIAL		VARCHAR2(3)
NOTE		VARCHAR2(2000)
EFFECTIVE_DATE		DATE

8.1.6 TA_DEBTOR_TAB

FIELD NAME	NULL?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
DEBTORID	NOT NULL	NUMBER
NAME_FIRST		VARCHAR2(20)
NAME_LAST		VARCHAR2(30)
AKA_DBA		VARCHAR2(30)
ADDRESS_1		VARCHAR2(40)
ADDRESS_2		VARCHAR2(40)
CITY		VARCHAR2(23)
EIN		VARCHAR2(20)
STATE		VARCHAR2(2)
ZIP		VARCHAR2(10)
PHONE_WORK		VARCHAR2(13)
PHONE_HOME		VARCHAR2(13)
SSN		VARCHAR2(11)
DOB		DATE
BOP_NBR		VARCHAR2(9)
CORPORATION		VARCHAR2(1)
TITLE		VARCHAR2(4)
SUBTITLE		VARCHAR2(4)
CHECKS_ACCEPTED		VARCHAR2(1)
NOTE		VARCHAR2(2000)

8.1.7 TA_DEBT_TAB

FIELD NAME	NULL?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
USAO_NBR	NOT NULL	VARCHAR2(10)
USAO_SEQ	NOT NULL	VARCHAR2(3)
CURR_BALANCE		NUMBER
CURR_PJ_COSTS		NUMBER
CURR_AOUSC_COSTS		NUMBER
CURR_COURT_COSTS		NUMBER
CURR_PRINCIPAL		NUMBER
CURR_INTEREST		NUMBER
ORIG_PJ_COSTS		NUMBER
ORIG_AOUSC_COSTS		NUMBER
ORIG_COURT_COSTS		NUMBER
ORIG_PRINCIPAL		NUMBER
ORIG_INTEREST		NUMBER
SUSP_PRINCIPAL		VARCHAR2(1)
TOTAL_INTEREST		NUMBER
COLLECT_TYPE		VARCHAR2(2)
PJ_AMOUNT		NUMBER
PJ_INTEREST_RATE		NUMBER
PJ_INTEREST_START_DATE		DATE
TRANSFER_USAO_NBR		VARCHAR2(10)
TRANSFER_USAO_SEQ		VARCHAR2(3)
TRANSFER_DISTRICT		VARCHAR2(4)
TRANSFER_CODE		VARCHAR2(2)
TECHNICIAN		VARCHAR2(3)
AGENCY_PROGRAM_CODE		VARCHAR2(4)
BRANCH		VARCHAR2(1)
DOJ_DIVISION		VARCHAR2(4)
DOJ_NBR		VARCHAR2(13)
AGENCY		VARCHAR2(4)
CAUSE_OF_ACTION		VARCHAR2(4)
AGENCY_NBR		VARCHAR2(13)
PROGRAM_CAT		VARCHAR2(3)
NCIF_NBR		VARCHAR2(13)
DESCRIPTION		VARCHAR2(30)
AUSA		VARCHAR2(3)
NOTE		VARCHAR2(2000)
RELATED_USAO_NBR		VARCHAR2(10)
RELATED_USAO_SEQ		VARCHAR2(3)
DEBT_STATUS		VARCHAR2(1)
CLASS		VARCHAR2(1)
INITIATE_DATE		DATE
ACCESS_DATE		DATE
NO_COMPOUND		VARCHAR2(1)
ACCEPT_APP		VARCHAR2(1)

8.1.8 TA_DECLINATION_TAB

FIELD NAME	NULL?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
USAO_NBR	NOT NULL	VARCHAR2(10)
USAO_SEQ	NOT NULL	VARCHAR2(3)
AGENCY		VARCHAR2(4)
AGENCY_NBR		VARCHAR2(13)
AMOUNT		NUMBER(22,2)
AUSA		VARCHAR2(3)
BRANCH		VARCHAR2(1)
CAUSE_OF_ACTION		VARCHAR2(4)
DATE_DECLINED		DATE
DESCRIPTION		VARCHAR2(30)
NAME_FIRST		VARCHAR2(20)
NAME_LAST		VARCHAR2(30)
NOTE		VARCHAR2(50)
REASON1		VARCHAR2(2)
REASON2		VARCHAR2(2)
REASON3		VARCHAR2(2)

8.1.9 TA_DOCUMENT_TAB

FIELD NAME	NULL?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
DOC_CODE	NOT NULL	VARCHAR2(3)
DOC_DESC	NOT NULL	VARCHAR2(50)
DATE_CODE		VARCHAR2(1)
SQL_ROOT0		VARCHAR2(500)
SQL_ROOT1		VARCHAR2(500)
SQL_ROOT2		VARCHAR2(500)
SQL_ROOT3		VARCHAR2(500)
SQL_ROOT4		VARCHAR2(500)
SQL_ROOT5		VARCHAR2(500)
SQL_ROOT6		VARCHAR2(500)
SQL_ROOT7		VARCHAR2(500)
SQL_ROOT8		VARCHAR2(500)
SQL_ROOT9		VARCHAR2(500)
WHERE_NO		NUMBER(22)
BATCH_WHERE1		VARCHAR2(240)
BATCH_WHERE2		VARCHAR2(240)
BATCH_WHERE3		VARCHAR2(240)
BATCH_WHERE4		VARCHAR2(240)
EVENT_WHERE1		VARCHAR2(240)
EVENT_WHERE2		VARCHAR2(240)
EVENT_WHERE3		VARCHAR2(240)
EVENT_WHERE4		VARCHAR2(240)

8.1.10 TA_EMPLOYEE_TAB

FIELD NAME	NULL?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
CODE	NOT NULL	VARCHAR2(3)
DECODE		VARCHAR2(55)
STATUS	NOT NULL	VARCHAR2(8)

8.1.11 TA_EVENT_TAB

FIELD NAME	NULL?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
EVEID	NOT NULL	NUMBER
USAO_NBR	NOT NULL	VARCHAR2(10)
USAO_SEQ	NOT NULL	VARCHAR2(3)
DEBTORID	NOT NULL	NUMBER
EVENT_DATE	NOT NULL	DATE
ACTIVITY		VARCHAR2(2)
EVENT		VARCHAR2(4)
EVENT_NOTE		VARCHAR2(2000)
DOC_CODE		VARCHAR2(3)
DOC_STATUS		VARCHAR2(1)

8.1.12 TA_FINANCE_TAB

FIELD NAME	NULL?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
USAO_NBR	NOT NULL	VARCHAR2(10)
USAO_SEQ	NOT NULL	VARCHAR2(3)
DEBTORID		NUMBER
SEQ_FINANCE	NOT NULL	VARCHAR2(4)
PAYMENT_AMOUNT		NUMBER
POSTING_DATE	NOT NULL	DATE
ACCRUED_INTEREST		NUMBER
ACCRUED_INT_CAP		NUMBER
ACCRUED_FINE_INTEREST		NUMBER
ACCRUAL_DATE		DATE
ACCRUAL_INTEREST_RATE		NUMBER
CHNG_ASSESSMENT		NUMBER
CHNG_PJ_COSTS		NUMBER
CHNG_AOUSC_COSTS		NUMBER
CHNG_COURT_COSTS		NUMBER
CHNG_PRINCIPAL		NUMBER
CHNG_PRIN_CAP		NUMBER
CHNG_INTEREST		NUMBER
CHNG_INT_CAP		NUMBER
CHNG_CRIM_COURT_COSTS		NUMBER
CHNG_FINE		NUMBER
CHNG_FINE_INTEREST		NUMBER
CHNG_PENALTY		NUMBER
CHNG_SURCHARGE		NUMBER
CHNG_OVERPAYMENT		NUMBER

FIELD NAME	NULL?	DATA TYPE
RUN_ASSESSMENT		NUMBER
RUN_PJ_COSTS		NUMBER
RUN_AOUSC_COSTS		NUMBER
RUN_COURT_COSTS		NUMBER
RUN_PRINCIPAL		NUMBER
RUN_PRIN_CAP		NUMBER
RUN_INTEREST		NUMBER
RUN_INT_CAP		NUMBER
RUN_CRIM_COURT_COSTS		NUMBER
RUN_FINE		NUMBER
RUN_FINE_INTEREST		NUMBER
RUN_PENALTY		NUMBER
RUN_SURCHARGE		NUMBER
RUN_TOTAL		NUMBER
RUN_OVERPAYMENT		NUMBER
FINANCE_CODE	NOT NULL	VARCHAR2(4)
PAYMENT_FORM		VARCHAR2(2)
CHECK_NBR		VARCHAR2(10)
DEPOSIT_NBR		VARCHAR2(11)
RECEIVED_BY_USAO		VARCHAR2(1)
RECEIVED_FROM		VARCHAR2(20)
RECEIVED_DATE		DATE
RELATED_SEQ_FINANCE		VARCHAR2(4)
USER_INITIAL		VARCHAR2(3)
NOTE		VARCHAR2(2000)
EFFECTIVE_DATE		DATE

8.1.13 TA_INITIAL_LOAD_TAB

FIELD NAME	NULL?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
LOAD_ID	NOT NULL	NUMBER
LOAD_REC_ID	NOT NULL	NUMBER
LOAD1		VARCHAR2(100)
LOAD2		VARCHAR2(100)
LOAD3		VARCHAR2(100)
LOAD4		VARCHAR2(100)
LOAD5		VARCHAR2(100)
LOAD6		VARCHAR2(100)
LOAD7		VARCHAR2(100)
LOAD8		VARCHAR2(100)
LOAD9		VARCHAR2(100)
LOAD10		VARCHAR2(100)
LOAD11		VARCHAR2(100)
LOAD12		VARCHAR2(100)
LOAD13		VARCHAR2(100)
LOAD14		VARCHAR2(100)
LOAD15		VARCHAR2(100)
LOAD16		VARCHAR2(100)

FIELD NAME	NULL?	DATA TYPE
LOAD17		VARCHAR2(100)
LOAD18		VARCHAR2(100)
LOAD19		VARCHAR2(100)
LOAD20		VARCHAR2(100)
LOAD21		VARCHAR2(100)
LOAD22		VARCHAR2(100)
LOAD23		VARCHAR2(100)
LOAD24		VARCHAR2(100)
LOAD25		VARCHAR2(100)

8.1.14 TA_INITIAL_RECONCILE_TAB

FIELD NAME	NULL?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
LOAD_ID	NOT NULL	NUMBER
LOAD_REC_ID	NOT NULL	NUMBER
LOAD1		VARCHAR2(100)
LOAD2		VARCHAR2(100)
LOAD3		VARCHAR2(100)
LOAD4		VARCHAR2(100)
LOAD5		VARCHAR2(100)
LOAD6		VARCHAR2(100)
LOAD7		VARCHAR2(100)
LOAD8		VARCHAR2(100)

8.1.15 TA LIABILITY TAB

FIELD NAME	NULL?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
USAO_NBR	NOT NULL	VARCHAR2(10)
USAO_SEQ	NOT NULL	VARCHAR2(3)
DEBTORID	NOT NULL	NUMBER
ORIG_PRIN_CAP		NUMBER
ORIG_INT_CAP		NUMBER
ORIG_SPEC_ASSESSMENT		NUMBER
ORIG_CRIM_COURT_COSTS		NUMBER
ORIG_PENALTY		NUMBER
ORIG_FINE		NUMBER
ORIG_FINE_INTEREST		NUMBER
ORIG_SURCHARGE		NUMBER
ORIG LIABILITY		NUMBER
CURR_PRIN_CAP		NUMBER
CURR_INT_CAP		NUMBER
CURR_SPEC_ASSESSMENT		NUMBER
CURR_CRIM_COURT_COSTS		NUMBER
CURR_PENALTY		NUMBER
CURR_FINE		NUMBER
CURR_FINE_INTEREST		NUMBER
CURR_SURCHARGE		NUMBER

FIELD NAME	NULL?	DATA TYPE
CURR LIABILITY		NUMBER
CURR OVERPAYMENT		NUMBER
SUSP SPEC ASSESSMENT		VARCHAR2(1)
SUSP CRIM COURT COSTS		VARCHAR2(1)
SUSP PENALTY		VARCHAR2(1)
SUSP FINE		VARCHAR2(1)
FINE AGENCY PROGRAM CODE		VARCHAR2(4)
STATUS		VARCHAR2(1)
CASE TYPE		VARCHAR2(3)
COURT		VARCHAR2(2)
COURT NBR		VARCHAR2(25)
JUDGE		VARCHAR2(3)
PAYMENT CYCLE		VARCHAR2(1)
SCHED AMOUNT		NUMBER
SCHED DATE		DATE
SCHED PAYMENT PENDING		NUMBER
SCHED EXPIRATION DATE		DATE
OVERDUE AMOUNT		NUMBER
INTEREST METHOD		NUMBER
INTEREST RATE		NUMBER
INITIATE DATE		DATE
JUDGMENT DATE		DATE
JUDGMENT RENEW DATE		DATE
JUDGMENT AMOUNT		NUMBER
DISPOS		VARCHAR2(2)
DISPOS DATE		DATE
NOTE		VARCHAR2(2000)
ACCESS DATE		DATE
INTEREST START DATE		DATE
PAY INTEREST FIRST	NOT NULL	VARCHAR2(1)
INCARCERATION TERM		VARCHAR2(4)
SUPERVISION TERM		VARCHAR2(4)
INCARCERATION RELEASE		DATE
SUPERVISION RELEASE		DATE
REAS RESTITUTION		VARCHAR2(4)
REAS SPEC ASSESSMENT		VARCHAR2(4)
REAS CRIM COURT COSTS		VARCHAR2(4)
REAS PENALTY		VARCHAR2(4)
REAS FINE		VARCHAR2(4)
PRIORITY CODE		VARCHAR2(2)
PRIORITY NOTE		VARCHAR2(2000)
LAST REVIEW DATE		DATE
NEXT REVIEW DATE		DATE

8.1.16 TA_LOAD_TAB

FIELD NAME	Null?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
LOAD_ID	NOT NULL	NUMBER
LOAD_FILE	NOT NULL	VARCHAR2(1000)
LOAD_FORMAT	NOT NULL	VARCHAR2(20)
LOAD_DATE	NOT NULL	DATE
LOAD_STATUS	NOT NULL	VARCHAR2(10)
LOAD_USER	NOT NULL	VARCHAR2(30)

8.1.17 TA_RECONCILE_TAB

FIELD NAME	Null?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
LOAD_ID	NOT NULL	NUMBER
RECON_FILE	NOT NULL	VARCHAR2(1000)
RECON_DATE	NOT NULL	DATE
RECON_STATUS	NOT NULL	VARCHAR2(10)
RECON_USER	NOT NULL	VARCHAR2(30)

8.1.18 TA_RECON_DETAILS_TAB

FIELD NAME	Null?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
LOAD_ID	NOT NULL	NUMBER
RECON_ID	NOT NULL	NUMBER
PART	NOT NULL	NUMBER
SECTION	NOT NULL	VARCHAR2(20)
DEPOSIT_NBR	NOT NULL	VARCHAR2(12)
NUM_ITEMS	NOT NULL	NUMBER
AMOUNT	NOT NULL	NUMBER
RECON_DATE	NOT NULL	DATE
STATUS		VARCHAR2(10)
STATUS_MESSAGE		VARCHAR2(1000)

8.1.19 TA_REPORT_BALANCE_TAB

FIELD NAME	Null?	DATA TYPE
DISTRICT		VARCHAR2(3)
USAO_NBR		VARCHAR2(10)
USAO_SEQ		VARCHAR2(3)
DEBTORID		NUMBER
TECHNICIAN		VARCHAR2(3)
AGENCY_PROGRAM_CODE		VARCHAR2(4)
BRANCH		VARCHAR2(1)
DOJ_DIVISION		VARCHAR2(4)
DOJ_NBR		VARCHAR2(13)
AGENCY		VARCHAR2(4)
INTEREST_RATE		NUMBER

FIELD NAME	NULL?	DATA TYPE
INITIATE_DATE		DATE
ORIG LIABILITY		NUMBER
JUDGMENT_DATE		DATE
INTEREST_START_DATE		DATE
CAUSE_OF_ACTION		VARCHAR2(4)
AGENCY_NBR		VARCHAR2(13)
PROGRAM_CAT		VARCHAR2(3)
NCIF_NBR		VARCHAR2(13)
DESCRIPTION		VARCHAR2(30)
AUSA		VARCHAR2(3)
CASE_TYPE		VARCHAR2(3)
LIABILITY_NOTE		VARCHAR2(2000)
RELATED_USAO_NBR		VARCHAR2(10)
RELATED_USAO_SEQ		VARCHAR2(3)
COURT		VARCHAR2(2)
COURT_NBR		VARCHAR2(25)
JUDGE		VARCHAR2(3)
PAYMENT_CYCLE		VARCHAR2(1)
SCHED_DATE		DATE
SCHED_AMOUNT		NUMBER
OVERDUE_AMOUNT		NUMBER
JUDGMENT_RENEW_DATE		DATE
DISPOS		VARCHAR2(2)
DISPOS_DATE		DATE
DEBT_NOTE		VARCHAR2(2000)
DEBT_STATUS		VARCHAR2(1)
CLASS		VARCHAR2(1)
LIABILITY_STATUS		VARCHAR2(1)
LIABILITY_ACCESS_DATE		DATE
DEBT_ACCESS_DATE		DATE
LIABILITY_INITIATE_DATE		DATE
DEBT_INITIATE_DATE		DATE
DEBT_BALANCE		NUMBER
AMOUNT		NUMBER
COLLECT_TYPE		VARCHAR2(2)
NAME_FIRST		VARCHAR2(20)
NAME_LAST		VARCHAR2(30)
ELEMENT_BALANCE		NUMBER
REAS_SUSPENSE		VARCHAR2(4)
PRIORITY_CODE		VARCHAR2(2)

8.1.20 TA_REPORT_FINANCE_TAB

FIELD NAME	NULL?	DATA TYPE
DISTRICT		VARCHAR2(3)
USAO_NBR		VARCHAR2(10)
USAO_SEQ		VARCHAR2(3)
DEBTORID		NUMBER
SEQ_Finance		VARCHAR2(4)

FIELD NAME	Null?	DATA TYPE
POSTING_DATE		DATE
FINANCE_CODE		VARCHAR2(4)
PAYMENT_FORM		VARCHAR2(2)
CHECK_NBR		VARCHAR2(10)
DEPOSIT_NBR		VARCHAR2(11)
RECEIVED_BY_USAO		VARCHAR2(1)
RECEIVED_FROM		VARCHAR2(20)
RECEIVED_DATE		DATE
RELATED_SEQ_FINANCE		VARCHAR2(4)
USER_INITIAL		VARCHAR2(3)
NOTE		VARCHAR2(2000)
AGENCY		VARCHAR2(4)
CAUSE_OF_ACTION		VARCHAR2(4)
AGENCY_PROGRAM_CODE		VARCHAR2(4)
COLLECT_TYPE		VARCHAR2(2)
CHNG_AMOUNT		NUMBER
CHNG_INTEREST		NUMBER
ACCRUED_INTEREST		NUMBER
RUN_AMOUNT		NUMBER
PROGRAM_CAT		VARCHAR2(3)

8.1.21 TA_REPORT_HISTORY_TAB

FIELD NAME	Null?	DATA TYPE
DISTRICT		VARCHAR2(3)
USAO_NBR		VARCHAR2(10)
USAO_SEQ		VARCHAR2(3)
DEBTORID		NUMBER
TECHNICIAN		VARCHAR2(3)
AGENCY_PROGRAM_CODE		VARCHAR2(4)
BRANCH		VARCHAR2(1)
DOJ_DIVISION		VARCHAR2(4)
DOJ_NBR		VARCHAR2(13)
AGENCY		VARCHAR2(4)
INTEREST_RATE		NUMBER
INITIATE_DATE		DATE
ORIG LIABILITY		NUMBER
JUDGMENT_DATE		DATE
INTEREST_START_DATE		DATE
CAUSE_OF_ACTION		VARCHAR2(4)
AGENCY_NBR		VARCHAR2(13)
PROGRAM_CAT		VARCHAR2(3)
NCIF_NBR		VARCHAR2(13)
DESCRIPTION		VARCHAR2(30)
AUSA		VARCHAR2(3)
CASE_TYPE		VARCHAR2(3)
LIABILITY_NOTE		VARCHAR2(2000)
RELATED_USAO_NBR		VARCHAR2(10)
RELATED_USAO_SEQ		VARCHAR2(3)

FIELD NAME	NULL?	DATA TYPE
COURT		VARCHAR2(2)
COURT_NBR		VARCHAR2(25)
JUDGE		VARCHAR2(3)
PAYMENT_CYCLE		VARCHAR2(1)
SCHED_AMOUNT		NUMBER
SCHED_DATE		DATE
OVERDUE_AMOUNT		NUMBER
JUDGMENT_RENEW_DATE		DATE
DISPOS		VARCHAR2(2)
DISPOS_DATE		DATE
DEBT_NOTE		VARCHAR2(2000)
DEBT_STATUS		VARCHAR2(1)
CLASS		VARCHAR2(1)
LIABILITY_STATUS		VARCHAR2(1)
LIABILITY_ACCESS_DATE		DATE
DEBT_ACCESS_DATE		DATE
LIABILITY_INITIATE_DATE		DATE
DEBT_INITIATE_DATE		DATE
DEBT_BALANCE		NUMBER
AMOUNT		NUMBER
COLLECT_TYPE		VARCHAR2(2)
NAME_FIRST		VARCHAR2(20)
NAME_LAST		VARCHAR2(30)
BALANCE_DATE		DATE
ELEMENT_BALANCE		NUMBER
REAS_SUSPENSE		VARCHAR2(4)
PRIORITY_CODE		VARCHAR2(2)

8.1.22 TA_STAGE_LOAD_TAB

FIELD NAME	NULL?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
LOAD_ID	NOT NULL	NUMBER
STAGEDID	NOT NULL	NUMBER
RECEIVED_DATE		DATE
COURT_NBR		VARCHAR2(30)
AMOUNT		NUMBER
RECEIVED_BY_USAO		VARCHAR2(1)
DEBTOR_NAME		VARCHAR2(200)
CHECK_NBR		VARCHAR2(10)
FORM_OF_PAYMENT		VARCHAR2(2)
CAUSE_OF_ACTION		VARCHAR2(4)
AGENCY		VARCHAR2(4)
SSN		VARCHAR2(11)
BOP_NBR		VARCHAR2(9)
NOTE		VARCHAR2(2000)
USAO_NBR		VARCHAR2(10)
USAO_SEQ		VARCHAR2(3)
DEBTORID		NUMBER

FIELD NAME	Null?	DATA TYPE
RECORD_FLAG		VARCHAR2(30)
LOAD_DATE		DATE
STATUS		VARCHAR2(10)
STATUS_MESSAGE		VARCHAR2(1000)

8.1.23 TA_TOP_DELETE_TAB

FIELD NAME	Null?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
USAO_NBR	NOT NULL	VARCHAR2(10)
USAO_SEQ	NOT NULL	VARCHAR2(3)
DEBTORID	NOT NULL	NUMBER
COLLECT_TYPE	NOT NULL	VARCHAR2(2)
TOP_DELETE_DATE	NOT NULL	DATE
TOPID		VARCHAR2(14)

8.1.24 TA_TOP_TAB

FIELD NAME	Null?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
USAO_NBR	NOT NULL	VARCHAR2(10)
USAO_SEQ	NOT NULL	VARCHAR2(3)
DEBTORID	NOT NULL	NUMBER
COLLECT_TYPE	NOT NULL	VARCHAR2(2)
TOP_ADD_DATE		DATE
TOPID		VARCHAR2(14)

8.1.25 TA_USER_TAB

FIELD NAME	Null?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
USERNAME	NOT NULL	VARCHAR2(30)
FULLNAME	NOT NULL	VARCHAR2(200)
SECURITY_LEVEL	NOT NULL	VARCHAR2(2)
STATUS	NOT NULL	VARCHAR2(10)
AUSA		VARCHAR2(3)
SESSION_TRACE		VARCHAR2(1)

8.2 List of Codes Tables

- 8.2.1 TA_ACTIVITY_TYPE
- 8.2.2 TA_ADHOC_REPORTS_TAB
- 8.2.3 TA_AGENCY
- 8.2.4 TA_AGENCY_GROUP
- 8.2.5 TA_AGENCY_PROGRAM_CODE
- 8.2.6 TA_AGENCY_PROGRAM_CODE_MAP
- 8.2.7 TA_APP_FORMAT_SOURCE_TAB
- 8.2.8 TA_APP_FORMAT_TAB
- 8.2.9 TA_APP_FORMAT_TARGET_TAB
- 8.2.10 TA_AUSA_TAB
- 8.2.11 TA_BRANCH_TAB
- 8.2.12 TA_CALENDAR_TYPE_TAB
- 8.2.13 TA_CASE_TYPE_TAB
- 8.2.14 TA_CAUSE_OF_ACTION
- 8.2.15 TA_CHECKOFF_TYPE
- 8.2.16 TA_CHECKS_ACCEPTED
- 8.2.17 TA_COLLECT_TYPE
- 8.2.18 TA_CORPORATION_TAB
- 8.2.19 TA_COURT
- 8.2.20 TA_DISPOS_TYPE
- 8.2.21 TA_DISTRICT
- 8.2.22 TA_DOCGEN_COLS
- 8.2.23 TA_DOCGEN_JOINS
- 8.2.24 TA_DOCGEN_PARM
- 8.2.25 TA_DOCGEN_TABS
- 8.2.26 TA_DOCGEN_WHERE
- 8.2.27 TA_DOCGEN_WHERE_TABS
- 8.2.28 TA_DOJ_DIVISION
- 8.2.29 TA_EVENT_TYPE_TAB
- 8.2.30 TA_FINANCE_CODE
- 8.2.31 TA_JUDGE_TAB
- 8.2.32 TA_NEXT_NUMBER_TAB
- 8.2.33 TA_OPT_TYPE_TAB
- 8.2.34 TA_PAYMENT_CYCLE
- 8.2.35 TA_PAYMENT_FORM
- 8.2.36 TA_PROG_CAT_CR
- 8.2.37 TA_PROG_CAT_CV
- 8.2.38 TA_REASON
- 8.2.39 TA_RECEIVED_BY_USAO
- 8.2.40 TA_STATE
- 8.2.41 TA_SUSP_REASON

- 8.2.42 TA_SYSTEM_PARAMS_TAB
- 8.2.43 TA_TECHNICIAN_TAB
- 8.2.44 TA_TRANSFER_CODE
- 8.2.45 TA_TRANSFER_DISTRICT

8.2.1 TA_ACTIVITY_TYPE

FIELD NAME	Null?	DATA TYPE
CODE	NOT NULL	VARCHAR2(2)
DECODE	NOT NULL	VARCHAR2(40)
STATUS	NOT NULL	VARCHAR2(8)

8.2.2 TA_ADHOC_REPORTS_TAB

FIELD NAME	Null?	DATA TYPE
DISTRICT		VARCHAR2(3)
REPORT_NAME		VARCHAR2(50)
REPORT_TYPE		VARCHAR2(4)
DATE_LAST_UPDATED		DATE
DATE_LAST_USED		DATE
DESCRIPTION		VARCHAR2(500)

8.2.3 TA_AGENCY

FIELD NAME	Null?	DATA TYPE
CODE	NOT NULL	VARCHAR2(4)
DECODE	NOT NULL	VARCHAR2(78)
STATUS	NOT NULL	VARCHAR2(8)
AGENCY_GROUP		VARCHAR2(6)

8.2.4 TA_AGENCY_GROUP

FIELD NAME	Null?	DATA TYPE
CODE	NOT NULL	VARCHAR2(6)
DECODE		VARCHAR2(78)

8.2.5 TA_AGENCY_PROGRAM_CODE

FIELD NAME	Null?	DATA TYPE
CODE	NOT NULL	VARCHAR2(4)
DECODE	NOT NULL	VARCHAR2(60)
STATUS	NOT NULL	VARCHAR2(8)

8.2.6 TA_AGENCY_PROGRAM_CODE_MAP

FIELD NAME	Null?	DATA TYPE
CODE	NOT NULL	VARCHAR2(4)
COLLECT_TYPE	NOT NULL	VARCHAR2(2)
CODE_SUSPENSE_FOR		VARCHAR2(4)

8.2.7 TA_APP_FORMAT_SOURCE_TAB

FIELD NAME	Null?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
FORMAT_NAME		VARCHAR2(20)
FIELD_INIT	NOT NULL	VARCHAR2(10)
FIELD_NAME	NOT NULL	VARCHAR2(30)
FIELD_START		NUMBER
FIELD_END		NUMBER

8.2.8 TA_APP_FORMAT_TAB

FIELD NAME	Null?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
FORMAT_NAME	NOT NULL	VARCHAR2(20)
DELIMITER		VARCHAR2(5)
MATCH_PROC		VARCHAR2(20)
ALLOW_BOP		VARCHAR2(1)
ALLOW_CRIM_TOP		VARCHAR2(1)

8.2.9 TA_APP_FORMAT_TARGET_TAB

FIELD NAME	Null?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
FORMAT_NAME		VARCHAR2(20)
FIELD_TARGET	NOT NULL	VARCHAR2(30)
FIELD_EXP	NOT NULL	VARCHAR2(2000)

8.2.10 TA_AUSA_TAB

FIELD NAME	Null?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
CODE	NOT NULL	VARCHAR2(3)
DECODE	NOT NULL	VARCHAR2(55)
STATUS	NOT NULL	VARCHAR2(8)

8.2.11 TA_BRANCH_TAB

FIELD NAME	Null?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
CODE	NOT NULL	VARCHAR2(1)
DECODE	NOT NULL	VARCHAR2(20)
STATUS	NOT NULL	VARCHAR2(8)

8.2.12 TA_CALENDAR_TYPE_TAB

FIELD NAME	Null?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
CODE	NOT NULL	VARCHAR2(2)
DECODE	NOT NULL	VARCHAR2(30)
STATUS	NOT NULL	VARCHAR2(8)

8.2.13 TA_CASE_TYPE_TAB

FIELD NAME	Null?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
CODE	NOT NULL	VARCHAR2(3)
DECODE	NOT NULL	VARCHAR2(60)
STATUS	NOT NULL	VARCHAR2(8)

8.2.14 TA_CAUSE_OF_ACTION

FIELD NAME	Null?	DATA TYPE
CODE	NOT NULL	VARCHAR2(4)
DECODE	NOT NULL	VARCHAR2(60)
STATUS	NOT NULL	VARCHAR2(8)

8.2.15 TA_CHECKOFF_TYPE

FIELD NAME	Null?	DATA TYPE
CHECK_TYPE	NOT NULL	VARCHAR2(30)
CHECK_DESC	NOT NULL	VARCHAR2(100)

8.2.16 TA_CHECKS_ACCEPTED

FIELD NAME	Null?	DATA TYPE
CODE	NOT NULL	VARCHAR2(1)
DECODE	NOT NULL	VARCHAR2(20)
STATUS	NOT NULL	VARCHAR2(8)

8.2.17 TA_COLLECT_TYPE

FIELD NAME	Null?	DATA TYPE
CODE	NOT NULL	VARCHAR2(2)
DECODE	NOT NULL	VARCHAR2(80)
STATUS	NOT NULL	VARCHAR2(8)

8.2.18 TA CORPORATION_TAB

FIELD NAME	Null?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
CODE	NOT NULL	VARCHAR2(1)
DECODE	NOT NULL	VARCHAR2(60)
STATUS	NOT NULL	VARCHAR2(8)

8.2.19 TA_COURT

FIELD NAME	Null?	DATA TYPE
CODE	NOT NULL	VARCHAR2(2)
DECODE	NOT NULL	VARCHAR2(30)
STATUS	NOT NULL	VARCHAR2(8)

8.2.20 TA_DISPOS_TYPE

FIELD NAME	Null?	DATA TYPE
CODE	NOT NULL	VARCHAR2(2)
DECODE	NOT NULL	VARCHAR2(90)
STATUS	NOT NULL	VARCHAR2(8)

8.2.21 TA_DISTRICT

FIELD NAME	Null?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
DESCRIPTION		VARCHAR2(25)
MIGRATE_DATE		DATE

8.2.22 TA_DOCGEN_COLS

FIELD NAME	Null?	DATA TYPE
TNAME		VARCHAR2(30)
DBCOL_NAME		VARCHAR2(150)
USERCOL_NAME		VARCHAR2(30)
ALIAS		VARCHAR2(5)

8.2.23 TA_DOCGEN_JOINS

FIELD NAME	Null?	DATA TYPE
DRIVER_TABLE	NOT NULL	VARCHAR2(30)
JOIN_TABLE	NOT NULL	VARCHAR2(30)
JOIN_CLAUSE	NOT NULL	VARCHAR2(240)

8.2.24 TA_DOCGEN_PARM

FIELD NAME	Null?	DATA TYPE
WHERE_NO	NOT NULL	NUMBER(22)
PARM1		VARCHAR2(35)
PARM2		VARCHAR2(35)
PARM3		VARCHAR2(35)
PARM4		VARCHAR2(35)
PARM5		VARCHAR2(35)
PARM6		VARCHAR2(35)

8.2.25 TA_DOCGEN_TABS

FIELD NAME	Null?	DATA TYPE
TNAME		VARCHAR2(30)
ALIAS		VARCHAR2(5)

8.2.26 TA_DOCGEN_WHERE

FIELD NAME	Null?	DATA TYPE
WHERE_NO	NOT NULL	NUMBER(22)
WHERE_SQL	NOT NULL	VARCHAR2(240)
WHERE_DESC	NOT NULL	VARCHAR2(240)

8.2.27 TA_DOCGEN_WHERE_TABS

FIELD NAME	Null?	DATA TYPE
WHERE_NO	NOT NULL	NUMBER(22)
TNAME	NOT NULL	VARCHAR2(30)
ALIAS	NOT NULL	VARCHAR2(5)

8.2.28 TA_DOJ_DIVISION

FIELD NAME	Null?	DATA TYPE
CODE	NOT NULL	VARCHAR2(4)
DECODE	NOT NULL	VARCHAR2(50)
STATUS	NOT NULL	VARCHAR2(8)

8.2.29 TA_EVENT_TYPE_TAB

FIELD NAME	Null?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
CODE	NOT NULL	VARCHAR2(4)
DECODE	NOT NULL	VARCHAR2(150)
STATUS	NOT NULL	VARCHAR2(8)

8.2.30 TA_FINANCE_CODE

FIELD NAME	Null?	DATA TYPE
CODE	NOT NULL	VARCHAR2(4)
DECODE	NOT NULL	VARCHAR2(80)
STATUS	NOT NULL	VARCHAR2(8)

8.2.31 TA_JUDGE_TAB

FIELD NAME	Null?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
CODE	NOT NULL	VARCHAR2(3)
DECODE	NOT NULL	VARCHAR2(30)

FIELD NAME	Null?	DATA TYPE
STATUS	NOT NULL	VARCHAR2(8)

8.2.32 TA_NEXT_NUMBER_TAB

FIELD NAME	Null?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
NEXT_NUMBER	NOT NULL	NUMBER
YEAR		VARCHAR2(4)

8.2.33 TA_OPT_TYPE_TAB

FIELD NAME	Null?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
CODE	NOT NULL	VARCHAR2(2)
DECODE	NOT NULL	VARCHAR2(30)
STATUS	NOT NULL	VARCHAR2(8)

8.2.34 TA_PAYMENT_CYCLE

FIELD NAME	Null?	DATA TYPE
CODE	NOT NULL	VARCHAR2(1)
DECODE	NOT NULL	VARCHAR2(20)
STATUS	NOT NULL	VARCHAR2(8)

8.2.35 TA_PAYMENT_FORM

FIELD NAME	Null?	DATA TYPE
CODE	NOT NULL	VARCHAR2(4)
DECODE	NOT NULL	VARCHAR2(60)
STATUS	NOT NULL	VARCHAR2(8)
CASH		VARCHAR2(1)

8.2.36 TA_PROG_CAT_CR

FIELD NAME	Null?	DATA TYPE
CODE	NOT NULL	VARCHAR2(3)
DECODE	NOT NULL	VARCHAR2(80)
STATUS	NOT NULL	VARCHAR2(8)

8.2.37 TA_PROG_CAT_CV

FIELD NAME	Null?	DATA TYPE
CODE	NOT NULL	VARCHAR2(3)
DECODE	NOT NULL	VARCHAR2(80)
STATUS	NOT NULL	VARCHAR2(8)

8.2.38 TA_REASON

FIELD NAME	Null?	DATA TYPE
CODE	NOT NULL	VARCHAR2(2)
DECODE	NOT NULL	VARCHAR2(160)
STATUS	NOT NULL	VARCHAR2(8)

8.2.39 TA_RECEIVED_BY_USAO

FIELD NAME	Null?	DATA TYPE
CODE	NOT NULL	VARCHAR2(1)
DECODE	NOT NULL	VARCHAR2(110)
STATUS	NOT NULL	VARCHAR2(8)

8.2.40 TA_STATE

FIELD NAME	Null?	DATA TYPE
CODE	NOT NULL	VARCHAR2(2)
DECODE	NOT NULL	VARCHAR2(25)
STATUS	NOT NULL	VARCHAR2(8)

8.2.41 TA_SUSP_REASON

FIELD NAME	Null?	DATA TYPE
CODE	NOT NULL	VARCHAR2(4)
DECODE	NOT NULL	VARCHAR2(150)
STATUS	NOT NULL	VARCHAR2(8)

8.2.42 TA_SYSTEM_PARAMS_TAB

FIELD NAME	Null?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)
ACCESS_DATE		DATE
EOUSA_DATE		DATE
DEPOSIT_BANK		VARCHAR2(11)
DEPOSIT_CREDIT		VARCHAR2(11)
GRACE_PERIOD		NUMBER
CRIM_TOP		VARCHAR2(1)
VERSION		VARCHAR2(11)
VERSION_MATCH		VARCHAR2(1)
SYSTEM_MESSAGE		VARCHAR2(2000)
APP_ENABLE	NOT NULL	VARCHAR2(1)
VERSION_DATE		DATE

8.2.43 TA_TECHNICIAN_TAB

FIELD NAME	Null?	DATA TYPE
DISTRICT	NOT NULL	VARCHAR2(3)

FIELD NAME	Null?	DATA TYPE
CODE	NOT NULL	VARCHAR2(3)
DECODE	NOT NULL	VARCHAR2(55)
STATUS	NOT NULL	VARCHAR2(8)

8.2.44 TA_TRANSFER_CODE

FIELD NAME	Null?	DATA TYPE
CODE	NOT NULL	VARCHAR2(2)
DECODE	NOT NULL	VARCHAR2(35)
STATUS	NOT NULL	VARCHAR2(8)

8.2.45 TA_TRANSFER_DISTRICT

FIELD NAME	Null?	DATA TYPE
CODE	NOT NULL	VARCHAR2(4)
DECODE	NOT NULL	VARCHAR2(30)
STATUS	NOT NULL	VARCHAR2(8)

9 Appendix C: Table Creation/Alter Scripts

```
*****
* Table Creation Script
*****
SPOOL D:\create_TALON_TAB.TXT

CREATE TABLESPACE DISTRICT_AK_GAS_P1_TS1
DATAFILE 'D:\ORACLE\DATABASE\DISTRICT_AK_GAS_P1_TS1.DBF' SIZE 500M
AUTOEXTEND ON NEXT 100M MAXSIZE 4000M
EXTENT MANAGEMENT LOCAL AUTOALLOCATE
/

CREATE TABLESPACE DISTRICT_GUAM_P2_TS2
DATAFILE 'D:\ORACLE\DATABASE\DISTRICT_GUAM_P2_TS2.DBF' SIZE 500M
AUTOEXTEND ON NEXT 100M MAXSIZE 4000M
EXTENT MANAGEMENT LOCAL AUTOALLOCATE
/

CREATE TABLESPACE DISTRICT_HAWAII_P3_TS3
DATAFILE 'D:\ORACLE\DATABASE\DISTRICT_HAWAII_P3_TS3.DBF' SIZE 500M
AUTOEXTEND ON NEXT 100M MAXSIZE 4000M
EXTENT MANAGEMENT LOCAL AUTOALLOCATE
/

CREATE TABLESPACE DISTRICT_IAN_NCW_P4_TS4
DATAFILE 'D:\ORACLE\DATABASE\DISTRICT_IAN_NCW_P4_TS4.DBF' SIZE 500M
AUTOEXTEND ON NEXT 100M MAXSIZE 4000M
EXTENT MANAGEMENT LOCAL AUTOALLOCATE
/

CREATE TABLESPACE DISTRICT_ND_WY_P5_TS5
DATAFILE 'D:\ORACLE\DATABASE\DISTRICT_ND_WY_P5_TS5.DBF' SIZE 500M
AUTOEXTEND ON NEXT 100M MAXSIZE 4000M
EXTENT MANAGEMENT LOCAL AUTOALLOCATE
/

PROMPT Creating Table 'TA_DISTRICT'
create table ta_district
( district varchar2 ( 3 ) NOT NULL PRIMARY KEY )
/

PROMPT Creating Table 'TA_STATE'
```

```
CREATE TABLE TA_STATE
(CODE VARCHAR2(2) NOT NULL
,DECODE VARCHAR2(25) NOT NULL
,STATUS VARCHAR2(8) NOT NULL
)
/
```

```
PROMPT Creating Table 'TA_CAUSE_OF_ACTION'
CREATE TABLE TA_CAUSE_OF_ACTION
(CODE VARCHAR2(4) NOT NULL
,DECODE VARCHAR2(60) NOT NULL
,STATUS VARCHAR2(8) NOT NULL
)
/
```

```
PROMPT Creating Table 'TA_RECEIVED_BY_USAO'
CREATE TABLE TA_RECEIVED_BY_USAO
(CODE VARCHAR2(1) NOT NULL
,DECODE VARCHAR2(110) NOT NULL
,STATUS VARCHAR2(8) NOT NULL
)
/
```

```
PROMPT Creating Table 'TA_EMPLOYEE_TAB'
CREATE TABLE TA_EMPLOYEE_TAB
(DISTRICT VARCHAR2(3) NOT NULL
,CODE VARCHAR2(3) NOT NULL
,DECODE VARCHAR2(55)
,STATUS VARCHAR2(8) NOT NULL
)
PARTITION BY RANGE (DISTRICT)
(PARTITION ta_employee_tab_AK_GAS_p1 VALUES LESS THAN ('GU') TABLESPACE
District_AK_GAS_p1_ts1,
PARTITION ta_employee_tab_GUAM_p2 VALUES LESS THAN ('HI') TABLESPACE
District_GUAM_p2_ts2,
PARTITION ta_employee_tab_HAWAII_p3 VALUES LESS THAN ('IAN') TABLESPACE
District_HAWAII_p3_ts3,
PARTITION ta_employee_tab_IAN_NCW_p4 VALUES LESS THAN ('ND') TABLESPACE
District_IAN_NCW_p4_ts4,
PARTITION ta_employee_tab_ND_WY_p5 VALUES LESS THAN (MAXVALUE) TABLESPACE
District_ND_WY_p5_ts5
)
/
```

```
PROMPT Creating Table 'TA_ACTIVITY_TYPE'
CREATE TABLE TA_ACTIVITY_TYPE
(CODE VARCHAR2(2) NOT NULL
,DECODE VARCHAR2(40) NOT NULL
,STATUS VARCHAR2(8) NOT NULL
)
/
```

PROMPT Creating Table 'TA LIABILITY TAB'

```

CREATE TABLE TA LIABILITY TAB (
  DISTRICT VARCHAR2(3) NOT NULL
, USAO_NBR VARCHAR2(10) NOT NULL
, USAO_SEQ VARCHAR2(3) NOT NULL
, DEBTORID NUMBER NOT NULL
, ORIG_PRIN_CAP NUMBER
, ORIG_INT_CAP NUMBER
, ORIG_SPEC_ASSESSMENT NUMBER
, ORIG_CRIM_COURT_COSTS NUMBER
, ORIG_PENALTY NUMBER
, ORIG_FINE NUMBER
, ORIG_FINE_INTEREST NUMBER
, ORIG_SURCHARGE NUMBER
, ORIG LIABILITY NUMBER
, CURR_PRIN_CAP NUMBER
, CURR_INT_CAP NUMBER
, CURR_SPEC_ASSESSMENT NUMBER
, CURR_CRIM_COURT_COSTS NUMBER
, CURR_PENALTY NUMBER
, CURR_FINE NUMBER
, CURR_FINE_INTEREST NUMBER
, CURR_SURCHARGE NUMBER
, CURR LIABILITY NUMBER
, CURR_OVERPAYMENT NUMBER
, STATUS VARCHAR2(1)
, COURT VARCHAR2(2)
, COURT_NBR VARCHAR2(25)
, JUDGE VARCHAR2(3)
, PAYMENT_CYCLE VARCHAR2(1)
, SCHED_AMOUNT NUMBER
, SCHED_DATE DATE
, SCHED_PAYMENT_PENDING NUMBER
, SCHED_EXPIRATION_DATE DATE
, OVERDUE_AMOUNT NUMBER
, INTEREST_METHOD NUMBER
, INTEREST_RATE NUMBER
, INITIATE_DATE DATE
, JUDGMENT_DATE DATE
, JUDGMENT_RENEW_DATE DATE
, DISPOS VARCHAR2(2)
, DISPOS_DATE DATE
, NOTE VARCHAR2(2000)
, ACCESS_DATE DATE
, INTEREST_START_DATE DATE
)
PARTITION BY RANGE (DISTRICT)
( PARTITION ta_liability_tab_AK_GAS_p1 VALUES LESS THAN ('GU') TABLESPACE
District_AK_GAS_p1_ts1,
  PARTITION ta_liability_tab_GUAM_p2 VALUES LESS THAN ('HI') TABLESPACE
District_GUAM_p2_ts2,
  PARTITION ta_liability_tab_HAWAII_p3 VALUES LESS THAN ('IAN') TABLESPACE
District_HAWAII_p3_ts3,

```

```

PARTITION ta_liability_tab_IAN_NCW_p4 VALUES LESS THAN ('ND') TABLESPACE
District_IAN_NCW_p4_ts4,
    PARTITION ta_liability_tab_ND_WY_p5 VALUES LESS THAN (MAXVALUE) TABLESPACE
District_ND_WY_p5_ts5
)
/
PROMPT Creating Table 'TA_CALENDAR_TAB'
CREATE TABLE TA_CALENDAR_TAB
( DISTRICT VARCHAR2(3) NOT NULL
,CALID NUMBER NOT NULL
,USAO_NBR VARCHAR2(10) NOT NULL
,USAO_SEQ VARCHAR2(3) NOT NULL
,SCHED_TIME VARCHAR2(6)
,EMPLOYEE VARCHAR2(3)
,JUDGE VARCHAR2(3)
,SCHED_DATE DATE
,COURT_NBR VARCHAR2(25)
,CALENDAR_TYPE VARCHAR2(2) NOT NULL
,NOTE VARCHAR2(2000)
,NAME VARCHAR2(30)
,BRANCH VARCHAR2(1)
)
PARTITION BY RANGE (DISTRICT)
( PARTITION ta_calendar_tab_AK_GAS_p1 VALUES LESS THAN ('GU') TABLESPACE
District_AK_GAS_p1_ts1,
    PARTITION ta_calendar_tab_GUAM_p2 VALUES LESS THAN ('HI') TABLESPACE
District_GUAM_p2_ts2,
    PARTITION ta_calendar_tab_HAWAII_p3 VALUES LESS THAN ('IAN') TABLESPACE
District_HAWAII_p3_ts3,
    PARTITION ta_calendar_tab_IAN_NCW_p4 VALUES LESS THAN ('ND') TABLESPACE
District_IAN_NCW_p4_ts4,
    PARTITION ta_calendar_tab_ND_WY_p5 VALUES LESS THAN (MAXVALUE) TABLESPACE
District_ND_WY_p5_ts5
)
/
PROMPT Creating Table 'TA_REASON'
CREATE TABLE TA_REASON
(CODE VARCHAR2(2) NOT NULL
,DECODE VARCHAR2(160) NOT NULL
,STATUS VARCHAR2(8) NOT NULL
)
/
PROMPT Creating Table 'TA_CALENDAR_TYPE_TAB'
CREATE TABLE TA_CALENDAR_TYPE_TAB
(DISTRICT VARCHAR2(3) NOT NULL
,CODE VARCHAR2(2) NOT NULL
,DECODE VARCHAR2(30) NOT NULL
,STATUS VARCHAR2(8) NOT NULL
)
PARTITION BY RANGE (DISTRICT)

```

```
( PARTITION ta_calendar_type_tab_AK_GAS_p1  VALUES LESS THAN ('GU')  TABLESPACE
District_AK_GAS_p1_ts1,
  PARTITION ta_calendar_type_tab_GUAM_p2  VALUES LESS THAN ('HI')  TABLESPACE
District_GUAM_p2_ts2,
  PARTITION ta_calendar_type_tab_HAWAII_p3  VALUES LESS THAN ('IAN')  TABLESPACE
District_HAWAII_p3_ts3,
  PARTITION ta_calendar_type_tab_IAN_NCW_p4 VALUES LESS THAN ('ND')  TABLESPACE
District_IAN_NCW_p4_ts4,
  PARTITION ta_calendar_type_tab_ND_WY_p5  VALUES LESS THAN (MAXVALUE) TABLESPACE
District_ND_WY_p5_ts5
)
/
```

```
PROMPT Creating Table 'TA_FINANCE_CODE'
CREATE TABLE TA_FINANCE_CODE
(CODE VARCHAR2(4) NOT NULL
,DECODE VARCHAR2(80) NOT NULL
,STATUS VARCHAR2(8) NOT NULL
)
/
```

```
PROMPT Creating Table 'TA_PROG_CAT_CV'
CREATE TABLE TA_PROG_CAT_CV
(CODE VARCHAR2(3) NOT NULL
,DECODE VARCHAR2(80) NOT NULL
,STATUS VARCHAR2(8) NOT NULL
)
/
```

```
PROMPT Creating Table 'TA_COLLECT_TYPE'
CREATE TABLE TA_COLLECT_TYPE
(CODE VARCHAR2(2) NOT NULL
,DECODE VARCHAR2(80) NOT NULL
,STATUS VARCHAR2(8) NOT NULL
)
/
```

```
PROMPT Creating Table 'TA_DEBTOR_TAB'
CREATE TABLE TA_DEBTOR_TAB
( DISTRICT VARCHAR2(3) NOT NULL
,DEBTORID NUMBER NOT NULL
,NAME_FIRST VARCHAR2(20)
,NAME_LAST VARCHAR2(30)
,AKA_DBIA VARCHAR2(30)
,ADDRESS_1 VARCHAR2(40)
,ADDRESS_2 VARCHAR2(40)
,CITY VARCHAR2(23)
,EIN VARCHAR2(20)
,STATE VARCHAR2(2)
,ZIP VARCHAR2(10)
,PHONE_WORK VARCHAR2(13)
,PHONE_HOME VARCHAR2(13)
,SSN VARCHAR2(11)
```

```

,DOB DATE
,CORPORATION VARCHAR2(1)
,TITLE VARCHAR2(4)
,SUBTITLE VARCHAR2(4)
,CHECKS_ACCEPTED VARCHAR2(1)
,NOTE VARCHAR2(2000)
)
PARTITION BY RANGE (DISTRICT)
( PARTITION ta_debtor_tab_AK_GAS_p1 VALUES LESS THAN ('GU') TABLESPACE
District_AK_GAS_p1_ts1,
    PARTITION ta_debtor_tab_GUAM_p2 VALUES LESS THAN ('HI') TABLESPACE
District_GUAM_p2_ts2,
    PARTITION ta_debtor_tab_HAWAII_p3 VALUES LESS THAN ('IAN') TABLESPACE
District_HAWAII_p3_ts3,
    PARTITION ta_debtor_tab_IAN_NCW_p4 VALUES LESS THAN ('ND') TABLESPACE
District_IAN_NCW_p4_ts4,
    PARTITION ta_debtor_tab_ND_WY_p5 VALUES LESS THAN (MAXVALUE) TABLESPACE
District_ND_WY_p5_ts5
)
/

```

PROMPT Creating Table 'TA_FINANCE_TAB'

```

CREATE TABLE TA_FINANCE_TAB
( DISTRICT VARCHAR2(3) NOT NULL
,USAO_NBR VARCHAR2(10) NOT NULL
,USAO_SEQ VARCHAR2(3) NOT NULL
,DEBTORID NUMBER
,SEQ_Finance VARCHAR2(4) NOT NULL
,PAYMENT_AMOUNT NUMBER
,POSTING_DATE DATE NOT NULL
,ACCRUED_INTEREST NUMBER
,ACCRUED_INT_CAP NUMBER
,ACCRUED_FINE_INTEREST NUMBER
,ACCRUAL_DATE DATE
,ACCRUAL_INTEREST_RATE NUMBER
,CHNG_ASSESSMENT NUMBER
,CHNG_PJ_COSTS NUMBER
,CHNG_AOUSC_COSTS NUMBER
,CHNG_COURT_COSTS NUMBER
,CHNG_PRINCIPAL NUMBER
,CHNG_PRIN_CAP NUMBER
,CHNG_INTEREST NUMBER
,CHNG_INT_CAP NUMBER
,CHNG_CRIM_COURT_COSTS NUMBER
,CHNG_FINE NUMBER
,CHNG_FINE_INTEREST NUMBER
,CHNG_PENALTY NUMBER
,CHNG_SURCHARGE NUMBER
,CHNG_OVERPAYMENT NUMBER
,RUN_ASSESSMENT NUMBER
,RUN_PJ_COSTS NUMBER
,RUN_AOUSC_COSTS NUMBER
,RUN_COURT_COSTS NUMBER

```

```

,RUN_PRINCIPAL NUMBER
,RUN_PRIN_CAP NUMBER
,RUN_INTEREST NUMBER
,RUN_INT_CAP NUMBER
,RUN_CRIM_COURT_COSTS NUMBER
,RUN_FINE NUMBER
,RUN_FINE_INTEREST NUMBER
,RUN_PENALTY NUMBER
,RUN_SURCHARGE NUMBER
,RUN_TOTAL NUMBER
,RUN_OVERPAYMENT NUMBER
,FINANCE_CODE VARCHAR2(4) NOT NULL
,PAYMENT_FORM VARCHAR2(2)
,CHECK_NBR VARCHAR2(10)
,DEPOSIT_NBR VARCHAR2(11)
,RECEIVED_BY_USAO VARCHAR2(1)
,RECEIVED_FROM VARCHAR2(20)
,RECEIVED_DATE DATE
,RELATED_SEQ_FINANCE VARCHAR2(4)
,USER_INITIAL VARCHAR2(3)
,NOTE VARCHAR2(2000)
)
PARTITION BY RANGE (DISTRICT)
(PARTITION ta_finance_tab_AK_GAS_p1 VALUES LESS THAN ('GU') TABLESPACE
District_AK_GAS_p1_ts1,
PARTITION ta_finance_tab_GUAM_p2 VALUES LESS THAN ('HI') TABLESPACE
District_GUAM_p2_ts2,
PARTITION ta_finance_tab_HAWAII_p3 VALUES LESS THAN ('IAN') TABLESPACE
District_HAWAII_p3_ts3,
PARTITION ta_finance_tab_IAN_NCW_p4 VALUES LESS THAN ('ND') TABLESPACE
District_IAN_NCW_p4_ts4,
PARTITION ta_finance_tab_ND_WY_p5 VALUES LESS THAN (MAXVALUE) TABLESPACE
District_ND_WY_p5_ts5
)
/

```

PROMPT Creating Table 'TA_PAYMENT_CYCLE'

```

CREATE TABLE TA_PAYMENT_CYCLE
(CODE VARCHAR2(1) NOT NULL
,DECODE VARCHAR2(20) NOT NULL
,STATUS VARCHAR2(8) NOT NULL
)
/
```

PROMPT Creating Table 'TA_CORPORATION_TAB'

```

CREATE TABLE TA_CORPORATION_TAB
(DISTRICT VARCHAR2(3) NOT NULL
,CODE VARCHAR2(1) NOT NULL
,DECODE VARCHAR2(60) NOT NULL
,STATUS VARCHAR2(8) NOT NULL
)
PARTITION BY RANGE (DISTRICT)
```

```

( PARTITION ta_corporation_tab_AK_GAS_p1 VALUES LESS THAN ('GU') TABLESPACE
District_AK_GAS_p1_ts1,
    PARTITION ta_corporation_tab_GUAM_p2 VALUES LESS THAN ('HI') TABLESPACE
District_GUAM_p2_ts2,
    PARTITION ta_corporation_tab_HAWAII_p3 VALUES LESS THAN ('IAN') TABLESPACE
District_HAWAII_p3_ts3,
    PARTITION ta_corporation_tab_IAN_NCW_p4 VALUES LESS THAN ('ND') TABLESPACE
District_IAN_NCW_p4_ts4,
    PARTITION ta_corporation_tab_ND_WY_p5 VALUES LESS THAN (MAXVALUE) TABLESPACE
District_ND_WY_p5_ts5
)
/

```

PROMPT Creating Table 'TA_EVENT_TAB'

```

CREATE TABLE TA_EVENT_TAB
(DISTRICT VARCHAR2(3) NOT NULL
,EVEID NUMBER NOT NULL
,USAO_NBR VARCHAR2(10) NOT NULL
,USAO_SEQ VARCHAR2(3) NOT NULL
,DEBTORID NUMBER NOT NULL
,EVENT_DATE DATE NOT NULL
,ACTIVITY VARCHAR2(2)
,EVENT VARCHAR2(4)
,EVENT_NOTE VARCHAR2(2000)
,DOC_CODE VARCHAR2(3)
,DOC_STATUS VARCHAR2(1)
)
PARTITION BY RANGE (DISTRICT)
( PARTITION ta_event_tab_AK_GAS_p1 VALUES LESS THAN ('GU') TABLESPACE
District_AK_GAS_p1_ts1,
    PARTITION ta_event_tab_GUAM_p2 VALUES LESS THAN ('HI') TABLESPACE
District_GUAM_p2_ts2,
    PARTITION ta_event_tab_HAWAII_p3 VALUES LESS THAN ('IAN') TABLESPACE
District_HAWAII_p3_ts3,
    PARTITION ta_event_tab_IAN_NCW_p4 VALUES LESS THAN ('ND') TABLESPACE
District_IAN_NCW_p4_ts4,
    PARTITION ta_event_tab_ND_WY_p5 VALUES LESS THAN (MAXVALUE) TABLESPACE
District_ND_WY_p5_ts5
)
/

```

PROMPT Creating Table 'TA_CASE_TYPE_TAB'

```

CREATE TABLE TA_CASE_TYPE_TAB
(DISTRICT VARCHAR2(3) NOT NULL
,CODE VARCHAR2(3) NOT NULL
,DECODE VARCHAR2(60) NOT NULL
,STATUS VARCHAR2(8) NOT NULL
)
PARTITION BY RANGE (DISTRICT)
( PARTITION ta_case_type_tab_AK_GAS_p1 VALUES LESS THAN ('GU') TABLESPACE
District_AK_GAS_p1_ts1,
    PARTITION ta_case_type_tab_GUAM_p2 VALUES LESS THAN ('HI') TABLESPACE
District_GUAM_p2_ts2,

```

```

PARTITION ta_case_type_tab_HAWAII_p3 VALUES LESS THAN ('IAN') TABLESPACE
District_HAWAII_p3_ts3,
PARTITION ta_case_type_tab_IAN_NCW_p4 VALUES LESS THAN ('ND') TABLESPACE
District_IAN_NCW_p4_ts4,
PARTITION ta_case_type_tab_ND_WY_p5 VALUES LESS THAN (MAXVALUE) TABLESPACE
District_ND_WY_p5_ts5
)
/

```

```

PROMPT Creating Table 'TA_OPT_TYPE_TAB'
CREATE TABLE TA_OPT_TYPE_TAB
(DISTRICT VARCHAR2(3) NOT NULL
,CODE VARCHAR2(2) NOT NULL
,DECODE VARCHAR2(30) NOT NULL
,STATUS VARCHAR2(8) NOT NULL
)
PARTITION BY RANGE (DISTRICT)
(PARTITION ta_opt_type_tab_AK_GAS_p1 VALUES LESS THAN ('GU') TABLESPACE
District_AK_GAS_p1_ts1,
PARTITION ta_opt_type_tab_GUAM_p2 VALUES LESS THAN ('HI') TABLESPACE
District_GUAM_p2_ts2,
PARTITION ta_opt_type_tab_HAWAII_p3 VALUES LESS THAN ('IAN') TABLESPACE
District_HAWAII_p3_ts3,
PARTITION ta_opt_type_tab_IAN_NCW_p4 VALUES LESS THAN ('ND') TABLESPACE
District_IAN_NCW_p4_ts4,
PARTITION ta_opt_type_tab_ND_WY_p5 VALUES LESS THAN (MAXVALUE) TABLESPACE
District_ND_WY_p5_ts5
)
/

```

```

PROMPT Creating Table 'TA_TECHNICIAN_TAB'
CREATE TABLE TA_TECHNICIAN_TAB
(DISTRICT VARCHAR2(3) NOT NULL
,CODE VARCHAR2(3) NOT NULL
,DECODE VARCHAR2(55) NOT NULL
,STATUS VARCHAR2(8) NOT NULL
)
PARTITION BY RANGE (DISTRICT)
(PARTITION ta_technician_AK_GAS_p1 VALUES LESS THAN ('GU') TABLESPACE
District_AK_GAS_p1_ts1,
PARTITION ta_technician_GUAM_p2 VALUES LESS THAN ('HI') TABLESPACE
District_GUAM_p2_ts2,
PARTITION ta_technician_HAWAII_p3 VALUES LESS THAN ('IAN') TABLESPACE
District_HAWAII_p3_ts3,
PARTITION ta_technician_IAN_NCW_p4 VALUES LESS THAN ('ND') TABLESPACE
District_IAN_NCW_p4_ts4,
PARTITION ta_technician_ND_WY_p5 VALUES LESS THAN (MAXVALUE) TABLESPACE
District_ND_WY_p5_ts5
)
/

```

```

PROMPT Creating Table 'TA_EVENT_TYPE_TAB'
CREATE TABLE TA_EVENT_TYPE_TAB

```

```

(DISTRICT VARCHAR2(3) NOT NULL
,CODE VARCHAR2(4) NOT NULL
,DECODE VARCHAR2(150) NOT NULL
,STATUS VARCHAR2(8) NOT NULL
)
PARTITION BY RANGE (DISTRICT)
( PARTITION ta_event_type_AK_GAS_p1 VALUES LESS THAN ('GU') TABLESPACE
District_AK_GAS_p1_ts1,
    PARTITION ta_event_type_GUAM_p2 VALUES LESS THAN ('HI') TABLESPACE
District_GUAM_p2_ts2,
    PARTITION ta_event_type_HAWAII_p3 VALUES LESS THAN ('IAN') TABLESPACE
District_HAWAII_p3_ts3,
    PARTITION ta_event_type_IAN_NCW_p4 VALUES LESS THAN ('ND') TABLESPACE
District_IAN_NCW_p4_ts4,
    PARTITION ta_event_type_ND_WY_p5 VALUES LESS THAN (MAXVALUE) TABLESPACE
District_ND_WY_p5_ts5
)
/

```

PROMPT Creating Table 'TA_CHECKS_ACCEPTED'

```

CREATE TABLE TA_CHECKS_ACCEPTED
(CODE VARCHAR2(1) NOT NULL
,DECODE VARCHAR2(20) NOT NULL
,STATUS VARCHAR2(8) NOT NULL
)
/

```

PROMPT Creating Table 'TA_ADDITIONAL_CONTACT_TAB'

```

CREATE TABLE TA_ADDITIONAL_CONTACT_TAB
( DISTRICT VARCHAR2(3) NOT NULL
,ADDID NUMBER NOT NULL
,DEBTORID NUMBER NOT NULL
,NAME VARCHAR2(46)
,OPT_TYPE VARCHAR2(2)
,ADDRESS_1 VARCHAR2(40)
,ADDRESS_2 VARCHAR2(40)
,CITY VARCHAR2(23)
,STATE VARCHAR2(2)
,ZIP VARCHAR2(10)
,PHONE1 VARCHAR2(13)
,PHONE2 VARCHAR2(13)
,MISC_1 VARCHAR2(15)
,MISC_2 VARCHAR2(15)
,DATE_1 DATE
,DATE_2 DATE
,NOTE VARCHAR2(2000)
)
PARTITION BY RANGE (DISTRICT)
( PARTITION ta_additional_contact_AK_GAS_p1 VALUES LESS THAN ('GU') TABLESPACE
District_AK_GAS_p1_ts1,
    PARTITION ta_additional_contact_GUAM_p2 VALUES LESS THAN ('HI') TABLESPACE
District_GUAM_p2_ts2,

```

```

PARTITION ta_additional_contact_HAWAII_p3 VALUES LESS THAN ('IAN') TABLESPACE
District_HAWAII_p3_ts3,
PARTITION ta_additional_contact_IAN_NCW_p4 VALUES LESS THAN ('ND') TABLESPACE
District_IAN_NCW_p4_ts4,
PARTITION ta_additional_contact_ND_WY_p5 VALUES LESS THAN (MAXVALUE) TABLESPACE
District_ND_WY_p5_ts5
)
/

```

PROMPT Creating Table 'TA_DEBT_TAB'

```

CREATE TABLE TA_DEBT_TAB
( DISTRICT VARCHAR2(3) NOT NULL
,USAO_NBR VARCHAR2(10) NOT NULL
,USAO_SEQ VARCHAR2(3) NOT NULL
,CURR_BALANCE NUMBER
,CURR_PJ_COSTS NUMBER
,CURR_AOUSC_COSTS NUMBER
,CURR_COURT_COSTS NUMBER
,CURR_PRINCIPAL NUMBER
,CURR_INTEREST NUMBER
,ORIG_PJ_COSTS NUMBER
,ORIG_AOUSC_COSTS NUMBER
,ORIG_COURT_COSTS NUMBER
,ORIG_PRINCIPAL NUMBER
,ORIG_INTEREST NUMBER
,JUDGMENT_AMOUNT NUMBER
,TOTAL_INTEREST NUMBER
,COLLECT_TYPE VARCHAR2(2)
,PJ_AMOUNT NUMBER
,PJ_INTEREST_RATE NUMBER
,PJ_INTEREST_START_DATE DATE
,TRANSFER_USAO_NBR VARCHAR2(10)
,TRANSFER_USAO_SEQ VARCHAR2(3)
,TRANSFER_DISTRICT VARCHAR2(4)
,TRANSFER_CODE VARCHAR2(2)
,TECHNICIAN VARCHAR2(3)
,AGENCY_PROGRAM_CODE VARCHAR2(4)
,BRANCH VARCHAR2(1)
,DOJ_DIVISION VARCHAR2(4)
,DOJ_NBR VARCHAR2(13)
,AGENCY VARCHAR2(4)
,CAUSE_OF_ACTION VARCHAR2(4)
,AGENCY_NBR VARCHAR2(13)
,PROGRAM_CAT VARCHAR2(3)
,NCIF_NBR VARCHAR2(13)
,DESCRIPTION VARCHAR2(30)
,AUSA VARCHAR2(3)
,CASE_TYPE VARCHAR2(3)
,NOTE VARCHAR2(2000)
,RELATED_USAO_NBR VARCHAR2(10)
,RELATED_USAO_SEQ VARCHAR2(3)
,DEBT_STATUS VARCHAR2(1)
,CLASS VARCHAR2(1)

```

```

,INITIATE_DATE DATE
,ACCESS_DATE DATE
)
PARTITION BY RANGE (DISTRICT)
( PARTITION ta_debt_tab_AK_GAS_p1 VALUES LESS THAN ('GU') TABLESPACE
District_AK_GAS_p1_ts1,
    PARTITION ta_debt_tab_GUAM_p2 VALUES LESS THAN ('HI') TABLESPACE District_GUAM_p2_ts2,
    PARTITION ta_debt_tab_HAWAII_p3 VALUES LESS THAN ('IAN') TABLESPACE
District_HAWAII_p3_ts3,
    PARTITION ta_debt_tab_IAN_NCW_p4 VALUES LESS THAN ('ND') TABLESPACE
District_IAN_NCW_p4_ts4,
    PARTITION ta_debt_tab_ND_WY_p5 VALUES LESS THAN (MAXVALUE) TABLESPACE
District_ND_WY_p5_ts5
)
/
PROMPT Creating Table 'TA_TRANSFER_DISTRICT'
CREATE TABLE TA_TRANSFER_DISTRICT
(CODE VARCHAR2(4) NOT NULL
,DECODE VARCHAR2(30) NOT NULL
,STATUS VARCHAR2(8) NOT NULL
)
/
PROMPT Creating Table 'TA_AGENCY_PROGRAM_CODE'
CREATE TABLE TA_AGENCY_PROGRAM_CODE
(CODE VARCHAR2(4) NOT NULL
,DECODE VARCHAR2(45) NOT NULL
,STATUS VARCHAR2(8) NOT NULL
)
/
PROMPT Creating Table 'TA_DISPOS_TYPE'
CREATE TABLE TA_DISPOS_TYPE
(CODE VARCHAR2(2) NOT NULL
,DECODE VARCHAR2(90) NOT NULL
,STATUS VARCHAR2(8) NOT NULL
)
/
PROMPT Creating Table 'TA_PROG_CAT_CR'
CREATE TABLE TA_PROG_CAT_CR
(CODE VARCHAR2(3) NOT NULL
,DECODE VARCHAR2(80) NOT NULL
,STATUS VARCHAR2(8) NOT NULL
)
/
PROMPT Creating Table 'TA_TRANSFER_CODE'
CREATE TABLE TA_TRANSFER_CODE
(CODE VARCHAR2(2) NOT NULL
,DECODE VARCHAR2(35) NOT NULL
,STATUS VARCHAR2(8) NOT NULL
)

```

```
)  
/
```

```
PROMPT Creating Table 'TA_BRANCH_TAB'  
CREATE TABLE TA_BRANCH_TAB  
(DISTRICT VARCHAR2(3) NOT NULL  
,CODE VARCHAR2(1) NOT NULL  
,DECODE VARCHAR2(20) NOT NULL  
,STATUS VARCHAR2(8) NOT NULL  
)  
PARTITION BY RANGE (DISTRICT)  
( PARTITION ta_branch_tab_AK_GAS_p1 VALUES LESS THAN ('GU') TABLESPACE  
District_AK_GAS_p1_ts1,  
    PARTITION ta_branch_tab_GUAM_p2 VALUES LESS THAN ('HI') TABLESPACE  
District_GUAM_p2_ts2,  
    PARTITION ta_branch_tab_HAWAII_p3 VALUES LESS THAN ('IAN') TABLESPACE  
District_HAWAII_p3_ts3,  
    PARTITION ta_branch_tab_IAN_NCW_p4 VALUES LESS THAN ('ND') TABLESPACE  
District_IAN_NCW_p4_ts4,  
    PARTITION ta_branch_tab_ND_WY_p5 VALUES LESS THAN (MAXVALUE) TABLESPACE  
District_ND_WY_p5_ts5  
)  
/
```

```
PROMPT Creating Table 'TA_AGENCY'  
CREATE TABLE TA_AGENCY  
(CODE VARCHAR2(4) NOT NULL  
,DECODE VARCHAR2(78) NOT NULL  
,STATUS VARCHAR2(8) NOT NULL  
)  
/
```

```
PROMPT Creating Table 'TA_AUSA_TAB'  
CREATE TABLE TA_AUSA_TAB  
(DISTRICT VARCHAR2(3) NOT NULL  
,CODE VARCHAR2(3) NOT NULL  
,DECODE VARCHAR2(55) NOT NULL  
,STATUS VARCHAR2(8) NOT NULL  
)  
PARTITION BY RANGE (DISTRICT)  
( PARTITION ta_usa_AK_GAS_p1 VALUES LESS THAN ('GU') TABLESPACE district_AK_GAS_p1_ts1,  
    PARTITION ta_usa_GUAM_p2 VALUES LESS THAN ('HI') TABLESPACE district_GUAM_p2_ts2,  
    PARTITION ta_usa_HAWAII_p3 VALUES LESS THAN ('IAN') TABLESPACE district_HAWAII_p3_ts3,  
    PARTITION ta_usa_IAN_NCW_p4 VALUES LESS THAN ('ND') TABLESPACE  
district_IAN_NCW_p4_ts4,  
    PARTITION ta_usa_ND_WY_p5 VALUES LESS THAN (MAXVALUE) TABLESPACE  
district_ND_WY_p5_ts5  
)  
/
```

```
PROMPT Creating Table 'TA_COURT'  
CREATE TABLE TA_COURT  
(CODE VARCHAR2(2) NOT NULL
```

```

,DECODE VARCHAR2(30) NOT NULL
,STATUS VARCHAR2(8) NOT NULL
)
/

PROMPT Creating Table 'TA_JUDGE_TAB'
CREATE TABLE TA_JUDGE_TAB
(DISTRICT VARCHAR2(3) NOT NULL
,CODE VARCHAR2(3) NOT NULL
,DECODE VARCHAR2(30) NOT NULL
,STATUS VARCHAR2(8) NOT NULL
)
PARTITION BY RANGE (DISTRICT)
( PARTITION ta_judge_tab_AK_GAS_p1 VALUES LESS THAN ('GU') TABLESPACE
district_AK_GAS_p1_ts1,
    PARTITION ta_judge_tab_GUAM_p2 VALUES LESS THAN ('HI') TABLESPACE
district_GUAM_p2_ts2,
    PARTITION ta_judge_tab_HAWAII_p3 VALUES LESS THAN ('IAN') TABLESPACE
district_HAWAII_p3_ts3,
    PARTITION ta_judge_tab_IAN_NCW_p4 VALUES LESS THAN ('ND') TABLESPACE
district_IAN_NCW_p4_ts4,
    PARTITION ta_judge_tab_ND_WY_p5 VALUES LESS THAN (MAXVALUE) TABLESPACE
district_ND_WY_p5_ts5
)
/
)

PROMPT Creating Table 'TA_DOJ_DIVISION'
CREATE TABLE TA_DOJ_DIVISION
(CODE VARCHAR2(4) NOT NULL
,DECODE VARCHAR2(50) NOT NULL
,STATUS VARCHAR2(8) NOT NULL
)
/


PROMPT Creating Table 'TA_DOCGEN_COLS'
CREATE TABLE TA_DOCGEN_COLS
(TNAME VARCHAR2(30)
,DBCOL_NAME VARCHAR2(100)
,USERCOL_NAME VARCHAR2(30)
,ALIAS VARCHAR2(5)
)
/


PROMPT Creating Table 'TA_DOCGEN_TABS'
CREATE TABLE TA_DOCGEN_TABS
(TNAME VARCHAR2(30)
,ALIAS VARCHAR2(5)
)
/


PROMPT Creating Table 'TA_DOCGEN_WHERE_TABS'
CREATE TABLE TA_DOCGEN_WHERE_TABS
(WHERE_NO NUMBER(22) NOT NULL
)

```

```
,TNAME VARCHAR2(30) NOT NULL  
,ALIAS VARCHAR2(5) NOT NULL  
)  
/  
/
```

```
PROMPT Creating Table 'TA_DOCGEN_PARM'  
CREATE TABLE TA_DOCGEN_PARM  
(WHERE_NO NUMBER(22) NOT NULL  
,PARM1 VARCHAR2(35)  
,PARM2 VARCHAR2(35)  
,PARM3 VARCHAR2(35)  
,PARM4 VARCHAR2(35)  
,PARM5 VARCHAR2(35)  
,PARM6 VARCHAR2(35)  
)  
/
```

```
PROMPT Creating Table 'TA_DOCGEN_WHERE'  
CREATE TABLE TA_DOCGEN_WHERE  
(WHERE_NO NUMBER(22) NOT NULL  
,WHERE_SQL VARCHAR2(240) NOT NULL  
,WHERE_DESC VARCHAR2(240) NOT NULL  
)  
/
```

```
PROMPT Creating Table 'TA_DOCGEN_JOINS'  
CREATE TABLE TA_DOCGEN_JOINS  
(DRIVER_TABLE VARCHAR2(30) NOT NULL  
,JOIN_TABLE VARCHAR2(30) NOT NULL  
,JOIN_CLAUSE VARCHAR2(240) NOT NULL  
)  
/
```

```
PROMPT Creating Table 'TA_NEXT_NUMBER_TAB'  
CREATE TABLE TA_NEXT_NUMBER_TAB  
(DISTRICT VARCHAR2(3) NOT NULL  
,NEXT_NUMBER NUMBER NOT NULL  
,YEAR VARCHAR2(4)  
)  
PARTITION BY RANGE (DISTRICT)  
  ( PARTITION ta_next_number_AK_GAS_p1 VALUES LESS THAN ('GU') TABLESPACE  
district_AK_GAS_p1_ts1,  
    PARTITION ta_next_number_GUAM_p2 VALUES LESS THAN ('HI') TABLESPACE  
district_GUAM_p2_ts2,  
    PARTITION ta_next_number_HAWAII_p3 VALUES LESS THAN ('IAN') TABLESPACE  
district_HAWAII_p3_ts3,  
    PARTITION ta_next_number_IAN_NCW_p4 VALUES LESS THAN ('ND') TABLESPACE  
district_IAN_NCW_p4_ts4,  
    PARTITION ta_next_number_ND_WY_p5 VALUES LESS THAN (MAXVALUE) TABLESPACE  
district_ND_WY_p5_ts5  
)  
/
```

```

PROMPT Creating Table 'TA_DOCUMENT_TAB'
CREATE TABLE TA_DOCUMENT_TAB
(DISTRICT VARCHAR2(3) NOT NULL
,DOC_CODE VARCHAR2(3) NOT NULL
,DOC_DESC VARCHAR2(50) NOT NULL
,DATE_CODE VARCHAR2(1)
,SQL_ROOT0 VARCHAR2(500)
,SQL_ROOT1 VARCHAR2(500)
,SQL_ROOT2 VARCHAR2(500)
,SQL_ROOT3 VARCHAR2(500)
,SQL_ROOT4 VARCHAR2(500)
,SQL_ROOT5 VARCHAR2(500)
,SQL_ROOT6 VARCHAR2(500)
,SQL_ROOT7 VARCHAR2(500)
,SQL_ROOT8 VARCHAR2(500)
,SQL_ROOT9 VARCHAR2(500)
,WHERE_NO NUMBER(22)
,BATCH_WHERE1 VARCHAR2(240)
,BATCH_WHERE2 VARCHAR2(240)
,BATCH_WHERE3 VARCHAR2(240)
,BATCH_WHERE4 VARCHAR2(240)
,EVENT_WHERE1 VARCHAR2(240)
,EVENT_WHERE2 VARCHAR2(240)
,EVENT_WHERE3 VARCHAR2(240)
,EVENT_WHERE4 VARCHAR2(240)
)
PARTITION BY RANGE (DISTRICT)
( PARTITION ta_document_AK_GAS_p1 VALUES LESS THAN ('GU') TABLESPACE
district_AK_GAS_p1_ts1,
PARTITION ta_document_GUAM_p2 VALUES LESS THAN ('HI') TABLESPACE
district_GUAM_p2_ts2,
PARTITION ta_document_HAWAII_p3 VALUES LESS THAN ('IAN') TABLESPACE
district_HAWAIL_p3_ts3,
PARTITION ta_document_IAN_NCW_p4 VALUES LESS THAN ('ND') TABLESPACE
district_IAN_NCW_p4_ts4,
PARTITION ta_document_ND_WY_p5 VALUES LESS THAN (MAXVALUE) TABLESPACE
district_ND_WY_p5_ts5
)
/

```

```

PROMPT Creating Table 'DUMMY'
CREATE TABLE DUMMY
(DUMMY VARCHAR2(1)
)
/
```

```

PROMPT Creating Table 'TA_SYSTEM_PARAMS_TAB'
CREATE TABLE ta_system_params_TAB (
  DISTRICT      VARCHAR2(3) NOT NULL
,ACCESS_DATE    DATE
,EOUSA_DATE    DATE
,DEPOSIT_BANK  VARCHAR2(11)
,DEPOSIT_CREDIT VARCHAR2(11)
```

```

,GRACE_PERIOD NUMBER
)
PARTITION BY RANGE (DISTRICT)
( PARTITION ta_system_params_AK_GAS_p1 VALUES LESS THAN ('GU') TABLESPACE
district_AK_GAS_p1_ts1,
PARTITION ta_system_params_GUAM_p2 VALUES LESS THAN ('HI') TABLESPACE
district_GUAM_p2_ts2,
PARTITION ta_system_params_HAWAII_p3 VALUES LESS THAN ('IAN') TABLESPACE
district_HAWAII_p3_ts3,
PARTITION ta_system_params_IAN_NCW_p4 VALUES LESS THAN ('ND') TABLESPACE
district_IAN_NCW_p4_ts4,
PARTITION ta_system_params_ND_WY_p5 VALUES LESS THAN (MAXVALUE) TABLESPACE
district_ND_WY_p5_ts5
)
/

```

PROMPT Creating Table 'TA_DECLINATION_TAB'

```

CREATE TABLE ta_declination_TAB (
DISTRICT VARCHAR2(3) NOT NULL
,USAO_NBR          VARCHAR2(10) NOT NULL
,USAO_SEQ           VARCHAR2(3) NOT NULL
,AGENCY             VARCHAR2(4)
,AGENCY_NBR         VARCHAR2(13)
,AMOUNT              NUMBER(22,2)
,AUSA                VARCHAR2(3)
,BRANCH              VARCHAR2(1)
,CAUSE_OF_ACTION    VARCHAR2(4)
,DATE_DECLINED      DATE
,DESCRIPTION         VARCHAR2(30)
,NAME_FIRST          VARCHAR2(20)
,NAME_LAST           VARCHAR2(30)
,NOTE                VARCHAR2(50)
,REASON1              VARCHAR2(2)
,REASON2              VARCHAR2(2)
,REASON3              VARCHAR2(2)
)
PARTITION BY RANGE (DISTRICT)
( PARTITION ta_declination_AK_GAS_p1 VALUES LESS THAN ('GU') TABLESPACE
district_AK_GAS_p1_ts1,
PARTITION ta_declination_GUAM_p2 VALUES LESS THAN ('HI') TABLESPACE
district_GUAM_p2_ts2,
PARTITION ta_declination_HAWAII_p3 VALUES LESS THAN ('IAN') TABLESPACE
district_HAWAII_p3_ts3,
PARTITION ta_declination_IAN_NCW_p4 VALUES LESS THAN ('ND') TABLESPACE
district_IAN_NCW_p4_ts4,
PARTITION ta_declination_ND_WY_p5 VALUES LESS THAN (MAXVALUE) TABLESPACE
district_ND_WY_p5_ts5
)
/

```

PROMPT Creating Table 'TA_PAYMENT_FORM'

```

CREATE TABLE ta_payment_form
(CODE VARCHAR2(4) NOT NULL

```

```
,DECODE VARCHAR2(60) NOT NULL  
,STATUS VARCHAR2(8) NOT NULL  
,CASH  VARCHAR2(1)  
)  
/  
/
```

```
PROMPT Creating Table 'TA_AUDIT_TAB'  
CREATE TABLE ta_audit_TAB  
(DISTRICT VARCHAR2(3) NOT NULL  
,ACTION VARCHAR2(1) NOT NULL  
,ACTION_DATE DATE NOT NULL  
,ACTION_USER VARCHAR2(30) NOT NULL  
,USAO_NBR VARCHAR2(10)  
,USAO_SEQ VARCHAR2(3)  
,DEBTORID NUMBER  
,SEQ_FINANCE VARCHAR2(4)  
,ADDID NUMBER  
,EVEID NUMBER  
,CALID NUMBER  
)  
/
```

```
PROMPT Creating Table 'TA_USER_TAB'  
CREATE TABLE ta_user_TAB  
(DISTRICT VARCHAR2(3) NOT NULL  
,USERNAME VARCHAR2(30) NOT NULL  
,FULLNAME VARCHAR2(200) NOT NULL  
,SECURITY_LEVEL VARCHAR2(2) NOT NULL  
,STATUS VARCHAR2(10) NOT NULL  
,AUSA VARCHAR2(3)  
)  
PARTITION BY RANGE (DISTRICT)  
( PARTITION ta_user_tab_AK_GAS_p1 VALUES LESS THAN ('GU')  TABLESPACE  
district_AK_GAS_p1_ts1,  
  PARTITION ta_user_tab_GUAM_p2  VALUES LESS THAN ('HI')  TABLESPACE district_GUAM_p2_ts2,  
  PARTITION ta_user_tab_HAWAII_p3  VALUES LESS THAN ('IAN')  TABLESPACE  
district_HAWAII_p3_ts3,  
  PARTITION ta_user_tab_IAN_NCW_p4 VALUES LESS THAN ('ND')  TABLESPACE  
district_IAN_NCW_p4_ts4,  
  PARTITION ta_user_tab_ND_WY_p5  VALUES LESS THAN (MAXVALUE) TABLESPACE  
district_ND_WY_p5_ts5  
)  
/
```

```
PROMPT Creating Table 'TA_REPORT_BALANCE_TAB'  
create table TA_REPORT_BALANCE_TAB  
( DISTRICT      VARCHAR2 ( 3 )  
,USAO_NBR      VARCHAR2 ( 10 )  
,USAO_SEQ      VARCHAR2 ( 3 )  
,DEBTORID      NUMBER  
,TECHNICIAN    VARCHAR2 ( 3 )  
,AGENCY_PROGRAM_CODE  VARCHAR2 ( 4 )  
,BRANCH        VARCHAR2 ( 1 )
```

```

,DOJ_DIVISION      VARCHAR2( 4 )
,DOJ_NBR          VARCHAR2( 13 )
,AGENCY            VARCHAR2( 4 )
,INTEREST_RATE    NUMBER
,INITIATE_DATE    DATE
,ORIG LIABILITY   NUMBER
,JUDGMENT_DATE    DATE
,INTEREST_START_DATE DATE
,CAUSE_OF_ACTION   VARCHAR2( 4 )
,AGENCY_NBR        VARCHAR2( 13 )
,PROGRAM_CAT       VARCHAR2( 3 )
,NCIF_NBR          VARCHAR2( 13 )
,DESCRIPTION        VARCHAR2( 30 )
,AUSA               VARCHAR2( 3 )
,CASE_TYPE          VARCHAR2( 3 )
,LIABILITY_NOTE    VARCHAR2( 2000 )
,RELATED_USAO_NBR  VARCHAR2( 10 )
,RELATED_USAO_SEQ   VARCHAR2( 3 )
,COURT              VARCHAR2( 2 )
,COURT_NBR          VARCHAR2( 25 )
,JUDGE               VARCHAR2( 3 )
,PAYMENT_CYCLE      VARCHAR2( 1 )
,SCHED_DATE         DATE
,SCHED_AMOUNT       NUMBER
,OVERDUE_AMOUNT    NUMBER
,JUDGMENT_RENEW_DATE DATE
,DISPOS              VARCHAR2( 2 )
,DISPOS_DATE        DATE
,DEBT_NOTE           VARCHAR2( 2000 )
,DEBT_STATUS         VARCHAR2( 1 )
,CLASS               VARCHAR2( 1 )
,LIABILITY_STATUS   VARCHAR2( 1 )
,LIABILITY_ACCESS_DATE DATE
,DEBT_ACCESS_DATE   DATE
,LIABILITY_INITIATE_DATE DATE
,DEBT_INITIATE_DATE DATE
,DEBT_BALANCE        NUMBER
,AMOUNT              NUMBER
,COLLECT_TYPE        VARCHAR2( 2 )
,NAME_FIRST          VARCHAR2( 20 )
,NAME_LAST           VARCHAR2( 30 )
)
PARTITION BY RANGE (DISTRICT)
(PARTITION TA_REPORT_BALANCE_AK_GAS_p1 VALUES LESS THAN ('GU') TABLESPACE
district_AK_GAS_p1_ts1,
PARTITION TA_REPORT_BALANCE_GUAM_p2 VALUES LESS THAN ('HI') TABLESPACE
district_GUAM_p2_ts2,
PARTITION TA_REPORT_BALANCE_HAWAII_p3 VALUES LESS THAN ('IAN') TABLESPACE
district_HAWAII_p3_ts3,
PARTITION TA_REPORT_BALANCE_IAN_NCW_p4 VALUES LESS THAN ('ND') TABLESPACE
district_IAN_NCW_p4_ts4,
PARTITION TA_REPORT_BALANCE_ND_WY_p5 VALUES LESS THAN (MAXVALUE) TABLESPACE
district_ND_WY_p5_ts5

```

```
)  
/  
create table TA_REPORT_HISTORY_TAB
```

```
(DISTRICT      VARCHAR2( 3 )  
,USAO_NBR     VARCHAR2( 10 )  
,USAO_SEQ      VARCHAR2( 3 )  
,DEBTORID      NUMBER  
,TECHNICIAN    VARCHAR2( 3 )  
,AGENCY_PROGRAM_CODE  VARCHAR2( 4 )  
,BRANCH        VARCHAR2( 1 )  
,DOJ_DIVISION   VARCHAR2( 4 )  
,DOJ_NBR        VARCHAR2( 13 )  
,AGENCY         VARCHAR2( 4 )  
,INTEREST_RATE  NUMBER  
,INITIATE_DATE   DATE  
,ORIG LIABILITY NUMBER  
,JUDGMENT_DATE   DATE  
,INTEREST_START_DATE DATE  
,CAUSE_OF_ACTION  VARCHAR2( 4 )  
,AGENCY_NBR     VARCHAR2( 13 )  
,PROGRAM_CAT    VARCHAR2( 3 )  
,NCIF_NBR       VARCHAR2( 13 )  
,DESCRIPTION     VARCHAR2( 30 )  
,AUSA           VARCHAR2( 3 )  
,CASE_TYPE       VARCHAR2( 3 )  
,LIABILITY_NOTE  VARCHAR2( 2000 )  
,RELATED_USAO_NBR  VARCHAR2( 10 )  
,RELATED_USAO_SEQ  VARCHAR2( 3 )  
,COURT          VARCHAR2( 2 )  
,COURT_NBR      VARCHAR2( 25 )  
,JUDGE          VARCHAR2( 3 )  
,PAYMENT_CYCLE   VARCHAR2( 1 )  
,SCHED_AMOUNT    NUMBER  
,SCHED_DATE      DATE  
,OVERDUE_AMOUNT   NUMBER  
,JUDGMENT_RENEW_DATE DATE  
,DISPOS          VARCHAR2( 2 )  
,DISPOS_DATE     DATE  
,DEBT_NOTE        VARCHAR2( 2000 )  
,DEBT_STATUS      VARCHAR2( 1 )  
,CLASS           VARCHAR2( 1 )  
,LIABILITY_STATUS  VARCHAR2( 1 )  
,LIABILITY_ACCESS_DATE DATE  
,DEBT_ACCESS_DATE  DATE  
,LIABILITY_INITIATE_DATE DATE  
,DEBT_INITIATE_DATE  DATE  
,DEBT_BALANCE     NUMBER  
,AMOUNT          NUMBER  
,COLLECT_TYPE    VARCHAR2( 2 )  
,NAME_FIRST      VARCHAR2( 20 )  
,NAME_LAST       VARCHAR2( 30 )  
,BALANCE_DATE     DATE
```

```

)
PARTITION BY RANGE (DISTRICT)
( PARTITION TA_REPORT_HISTORY_AK_GAS_p1 VALUES LESS THAN ('GU') TABLESPACE
district_AK_GAS_p1_ts1,
PARTITION TA_REPORT_HISTORY_GUAM_p2 VALUES LESS THAN ('HI') TABLESPACE
district_GUAM_p2_ts2,
PARTITION TA_REPORT_HISTORY_HAWAII_p3 VALUES LESS THAN ('IAN') TABLESPACE
district_HAWAII_p3_ts3,
PARTITION TA_REPORT_HISTORY_IAN_NCW_p4 VALUES LESS THAN ('ND') TABLESPACE
district_IAN_NCW_p4_ts4,
PARTITION TA_REPORT_HISTORY_ND_WY_p5 VALUES LESS THAN (MAXVALUE) TABLESPACE
district_ND_WY_p5_ts5
)
/

```

PROMPT Creating Table 'TA_REPORT_FINANCE_TAB'

```

create table TA_REPORT_FINANCE_TAB
(
DISTRICT      VARCHAR2( 3 )
,USAO_NBR     VARCHAR2(10)
,USAO_SEQ      VARCHAR2(3)
,DEBTORID      NUMBER
,SEQ_FINANCE   VARCHAR2(4)
,POSTING_DATE  DATE
,FINANCE_CODE   VARCHAR2(4)
,PAYMENT_FORM   VARCHAR2(2)
,CHECK_NBR      VARCHAR2(10)
,DEPOSIT_NBR    VARCHAR2(11)
,RECEIVED_BY_USAO VARCHAR2(1)
,RECEIVED_FROM   VARCHAR2(20)
,RECEIVED_DATE   DATE
,RELATED_SEQ_FINANCE VARCHAR2(4)
,USER_INITIAL   VARCHAR2(3)
,NOTE          VARCHAR2(2000)
,AGENCY         VARCHAR2(4)
,CAUSE_OF_ACTION VARCHAR2(4)
,AGENCY_PROGRAM_CODE VARCHAR2(4)
,COLLECT_TYPE   VARCHAR2(2)
,CHNG_AMOUNT    NUMBER
,CHNG_INTEREST  NUMBER
,ACCRUED_INTEREST NUMBER
)
PARTITION BY RANGE (DISTRICT)
( PARTITION TA_REPORT_FINANCE_AK_GAS_p1 VALUES LESS THAN ('GU') TABLESPACE
district_AK_GAS_p1_ts1,
PARTITION TA_REPORT_FINANCE_GUAM_p2 VALUES LESS THAN ('HI') TABLESPACE
district_GUAM_p2_ts2,
PARTITION TA_REPORT_FINANCE_HAWAII_p3 VALUES LESS THAN ('IAN') TABLESPACE
district_HAWAII_p3_ts3,
PARTITION TA_REPORT_FINANCE_IAN_NCW_p4 VALUES LESS THAN ('ND') TABLESPACE
district_IAN_NCW_p4_ts4,

```

```

PARTITION TA_REPORT_FINANCE_ND_WY_p5  VALUES LESS THAN (MAXVALUE) TABLESPACE
district_ND_WY_p5_ts5
)
/

PROMPT Creating Table 'TA_DEBTOR_HISTORY_TAB'
CREATE TABLE TA_DEBTOR_HISTORY_TAB
( DISTRICT VARCHAR2(3) NOT NULL
,USAO_NBR VARCHAR2(10) NOT NULL
,USAO_SEQ VARCHAR2(3) NOT NULL
,SEQ_FINANCE VARCHAR2(4) NOT NULL
,BALANCE_DEBTORID NUMBER NOT NULL
,TRANSACTION_DEBTORID NUMBER
,PAYMENT_AMOUNT NUMBER
,POSTING_DATE DATE NOT NULL
,ACCRUED_INTEREST NUMBER
,ACCRUED_FINE_INTEREST NUMBER
,ACCRUAL_DATE DATE
,ACCRUAL_INTEREST_RATE NUMBER
,CHNG_ASSESSMENT NUMBER
,CHNG_PJ_COSTS NUMBER
,CHNG_AOUSC_COSTS NUMBER
,CHNG_COURT_COSTS NUMBER
,CHNG_PRINCIPAL NUMBER
,CHNG_INTEREST NUMBER
,CHNG_CRIM_COURT_COSTS NUMBER
,CHNG_FINE NUMBER
,CHNG_FINE_INTEREST NUMBER
,CHNG_PENALTY NUMBER
,CHNG_SURCHARGE NUMBER
,CHNG_OVERPAYMENT NUMBER
,RUN_ASSESSMENT NUMBER
,RUN_PJ_COSTS NUMBER
,RUN_AOUSC_COSTS NUMBER
,RUN_COURT_COSTS NUMBER
,RUN_PRINCIPAL NUMBER
,RUN_INTEREST NUMBER
,RUN_CRIM_COURT_COSTS NUMBER
,RUN_FINE NUMBER
,RUN_FINE_INTEREST NUMBER
,RUN_PENALTY NUMBER
,RUN_SURCHARGE NUMBER
,RUN_TOTAL NUMBER
,RUN_OVERPAYMENT NUMBER
,FINANCE_CODE VARCHAR2(4) NOT NULL
,PAYMENT_FORM VARCHAR2(2)
,CHECK_NBR VARCHAR2(10)
,DEPOSIT_NBR VARCHAR2(11)
,RECEIVED_BY_USAO VARCHAR2(1)
,RECEIVED_FROM VARCHAR2(20)
,RECEIVED_DATE DATE
,RELATED_SEQ_FINANCE VARCHAR2(4)
,USER_INITIAL VARCHAR2(3)

```

```

,NOTE VARCHAR2(2000)
)
PARTITION BY RANGE (DISTRICT)
( PARTITION TA_DEBTOR_HISTORY_AK_GAS_p1 VALUES LESS THAN ('GU') TABLESPACE
district_AK_GAS_p1_ts1,
    PARTITION TA_DEBTOR_HISTORY_GUAM_p2 VALUES LESS THAN ('HI') TABLESPACE
district_GUAM_p2_ts2,
    PARTITION TA_DEBTOR_HISTORY_HAWAII_p3 VALUES LESS THAN ('IAN') TABLESPACE
district_HAWAII_p3_ts3,
    PARTITION TA_DEBTOR_HISTORY_IAN_NCW_p4 VALUES LESS THAN ('ND') TABLESPACE
district_IAN_NCW_p4_ts4,
    PARTITION TA_DEBTOR_HISTORY_ND_WY_p5 VALUES LESS THAN (MAXVALUE) TABLESPACE
district_ND_WY_p5_ts5
)
/
create table PLAN_TABLE (
    statement_id      varchar2(30),
    timestamp        date,
    remarks          varchar2(80),
    operation        varchar2(30),
    options          varchar2(30),
    object_node      varchar2(128),
    object_owner     varchar2(30),
    object_name      varchar2(30),
    object_instance  numeric,
    object_type      varchar2(30),
    optimizer        varchar2(255),
    search_columns   number,
    id               numeric,
    parent_id        numeric,
    position         numeric,
    cost             numeric,
    cardinality     numeric,
    bytes            numeric,
    other_tag        varchar2(255),
    partition_start  varchar2(255),
    partition_stop   varchar2(255),
    partition_id     numeric,
    other            long,
    distribution     varchar2(30));
CREATE TABLE TA_SUSP_REASON
(CODE VARCHAR2(4) NOT NULL
,DECODE VARCHAR2(150) NOT NULL
,STATUS VARCHAR2(8) NOT NULL
)
/

```

SPOOL OFF

ALTER TABLE SCRIPTS:

```

alter table ta_app_format_tab add ( allow_crim_top varchar2 ( 1 ) );

update ta_app_format_tab set allow_crim_top = 'Y' where format_name IN ( 'BOP Payments' );
update ta_app_format_tab set allow_crim_top = 'N' where allow_crim_top IS NULL;

create or replace view ta_app_format
as select format_name,
          delimiter,
          match_proc,
          allow_bop,
          allow_crim_top
     from ta_app_format_tab
   where ( select talon_security.find_district from dual ) like district
/
Alter Table TA LIABILITY TAB
  Add ( INCARCERATION_TERM      Varchar2(4),
        SUPERVISION_TERM      Varchar2(4),
        INCARCERATION_RELEASE Date,
        SUPERVISION_RELEASE Date,
        REAS_RESTITUTION      Varchar2(4),
        REAS_SPEC_ASSESSMENT  Varchar2(4),
        REAS_CRIM_COURT_COSTS Varchar2(4),
        REAS_PENALTY          Varchar2(4),
        REAS_FINE              Varchar2(4),
        PRIORITY_CODE          Varchar2(2),
        PRIORITY_NOTE          Varchar2(2000),
        LAST REVIEW DATE      Date,
        NEXT REVIEW DATE      Date
      )
/
ALTER TABLE TA_SUSP_REASON
  ADD (CONSTRAINT SRN_PK PRIMARY KEY
       (CODE))
/
alter table ta_report_balance_tab
add
(reas_suspense  varchar2(4),
priority_code   varchar2(2)
)
/
alter table ta_report_history_tab
add
(reas_suspense  varchar2(4),
priority_code   varchar2(2)
)
/

```